



US00D899694S

(12) **United States Design Patent**
Barbu-Roth et al.

(10) **Patent No.:** **US D899,694 S**

(45) **Date of Patent:** **** Oct. 20, 2020**

(54) **LOCOMOTION TRAINING DEVICE FOR INFANTS**

(71) Applicant: **Université Paris Descartes, Paris (FR)**

(72) Inventors: **Marianne Barbu-Roth, Paris (FR); Vincent Forma, Paris (FR); Joëlle Provasi, Massy (FR); Caroline Teulier, Gif-sur-Yvette (FR)**

(73) Assignee: **UNIVERSITE PARIS DESCARTES, Paris (FR)**

(**) Term: **15 Years**

(21) Appl. No.: **29/636,402**

(22) Filed: **Feb. 8, 2018**

(30) **Foreign Application Priority Data**

Aug. 9, 2017 (EM) 004140416-0001
Aug. 9, 2017 (EM) 004140416-0002

(51) **LOC (12) Cl.** **29-02**

(52) **U.S. Cl.**
USPC **D29/101.1**

(58) **Field of Classification Search**
USPC D29/100, 101.1, 101.5, 103; 128/875;
D24/193; D6/333; D12/128
CPC A47D 13/04; A47D 13/046; A47D 13/08;
A47D 15/00; A47D 15/003; A47D 15/005; A47D 15/008; G09B 19/003;
A62B 35/00; A63H 33/006; A61G 2200/14

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

1,572,273 A * 2/1926 Elton A47D 13/08
280/87.051
2,102,281 A * 12/1937 Pringle A47D 15/008
128/875

3,027,058 A * 3/1962 Huber A47D 13/025
224/155
D261,378 S * 10/1981 Bergeron D12/128
4,911,105 A * 3/1990 Hocum A47D 15/008
128/875

(Continued)

OTHER PUBLICATIONS

Medical Device Enables CP Infants to Crawl (on-line), dated Oct. 13, 2011. Retrieved from Internet May 13, 2020, URL: <https://www.todaysmedicaldevelopments.com/article/medical-device-design-engineering-manufacturing-101311/> (2 pages) (Year: 2011).*

Primary Examiner — Kimberly Barnes

(74) *Attorney, Agent, or Firm* — Pearne & Gordon LLP

(57) **CLAIM**

We claim the ornamental design for a locomotion training device for infants, as shown and described.

DESCRIPTION

FIG. 1 is a top, front perspective view of a locomotion training device for infants showing our new design.

FIG. 2 is a top perspective view thereof;

FIG. 3 is a top plan view thereof;

FIG. 4 is a front view thereof;

FIG. 5 is a left side view thereof;

FIG. 6 is a rear view thereof;

FIG. 7 is another top view thereof, shown at a point in rotation half way between the views illustrated in FIGS. 2 and 3;



FIG. 8 is a top view thereof as in FIG. 7, but with outer securing straps opened;

FIG. 9 is a top view thereof as in FIGS. 7 and 8, but with harness thereof (including inner securing straps) completely opened; and,

FIG. 10 is a bottom view thereof.

The broken lines in the drawings depict stitching and other features of the locomotion training device for infants that form no part of the claimed design.

1 Claim, 10 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

5,046,750 A * 9/1991 Heubl B62K 9/00
280/47.34
RE34,763 E * 10/1994 Tucker A47D 15/008
128/872
5,383,711 A * 1/1995 Houghteling A47D 15/006
297/397
D513,647 S * 1/2006 Farshid D29/100
7,107,639 B2 * 9/2006 Taricani A47D 13/08
5/655
7,117,553 B2 * 10/2006 Fairchild A47D 13/08
5/655
7,182,351 B2 * 2/2007 Williams A47D 13/04
280/32
D586,049 S * 2/2009 Boardman D29/101.1
D608,055 S * 1/2010 Rieger D29/101.1
7,862,115 B1 * 1/2011 Davis A47D 13/08
297/219.12
8,082,613 B2 * 12/2011 Rozema A47D 15/008
128/869
8,942,874 B2 * 1/2015 Pidcoe A47D 13/04
280/149.2
10,321,771 B2 * 6/2019 Barbu-Roth G09B 19/003
10,363,186 B2 * 7/2019 Bader A47D 13/08
2005/0248110 A1 * 11/2005 Stouffer 280/87.021
2008/0313812 A1 * 12/2008 Reeves B60N 2/2845
5/655
2010/0319133 A1 * 12/2010 Whitlock A47D 13/08
5/655
2012/0284925 A1 * 11/2012 Bennett A47D 15/005
5/655
2017/0202367 A1 7/2017 Barbu-Roth et al.
2020/0113351 A1 * 4/2020 McCoy A47D 15/006

* cited by examiner




Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7




Fig. 8




Fig. 9




Fig. 10