



US00D899878S

(12) **United States Design Patent** (10) **Patent No.:** **US D899,878 S**  
**Villanueva et al.** (45) **Date of Patent:** **\*\* Oct. 27, 2020**

(54) **STRAPPING DEVICE**

(71) Applicant: **Allstar Seed Company**, El Centro, CA (US)

(72) Inventors: **Oscar Villanueva**, Calexico, CA (US);  
**Daniel Maciel**, Calexico, CA (US);  
**Ismael Villalobos**, Calexico, CA (US)

(\*\*) Term: **15 Years**

(21) Appl. No.: **29/688,334**

(22) Filed: **Apr. 19, 2019**

(51) **LOC (12) Cl.** ..... **08-05**

(52) **U.S. Cl.**  
USPC ..... **D8/14; D8/44**

(58) **Field of Classification Search**  
USPC ..... **D8/14, 44, 356, 358**  
CPC ..... **B60P 7/0853; B60P 7/0846**  
See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

5,454,611	A *	10/1995	Wanat	.....	B25J 1/04
					294/211
6,820,906	B1 *	11/2004	McClendon	.....	B60P 7/0853
					294/104
7,393,031	B2 *	7/2008	Goulet	.....	B60P 7/0853
					294/210
D739,694	S *	9/2015	Epting	.....	D8/14
9,428,096	B1 *	8/2016	Bach	.....	B60P 7/0853
10,081,097	B1 *	9/2018	Abbey	.....	B25G 3/36
10,406,965	B1 *	9/2019	Johnson	.....	B60P 7/0853
D863,041	S *	10/2019	Short	.....	D8/356
2008/0314372	A1 *	12/2008	Guindon	.....	B60P 7/0853
					124/5

\* cited by examiner

*Primary Examiner* — Philip S Hyder

(74) *Attorney, Agent, or Firm* — The Sladkus Law Group


(57) **CLAIM**

The ornamental design for a strapping device, as shown and described.

**DESCRIPTION**

FIG. 1 is a perspective view of one embodiment of a strapping device of the present invention;  
 FIG. 2 is a front elevational view of the strapping device of FIG. 1;  
 FIG. 3 is a rear elevational view of the strapping device of FIG. 1;  
 FIG. 4 is a left side elevational view of the strapping device of FIG. 1;  
 FIG. 5 is a right side elevational view of the strapping device of FIG. 1;  
 FIG. 6 is a top plan view of the strapping device of FIG. 1;  
 FIG. 7 is a bottom plan view of the strapping device of FIG. 1;  
 FIG. 8 is a perspective view of the strapping device of FIG. 1 in which the strap has been removed for clarity.  
 FIG. 9 is a front elevational view of the strapping device of FIG. 1 in which the strap has been removed for clarity;  
 FIG. 10 is a rear elevational view of the strapping device of FIG. 1 in which the strap has been removed for clarity;  
 FIG. 11 is a left side elevational view of the strapping device of FIG. 1 in which the strap has been removed for clarity;  
 FIG. 12 is a right side elevational view of the strapping device of FIG. 1 in which the strap has been removed for clarity;  
 FIG. 13 is a top plan view of the strapping device of FIG. 1 in which the strap has been removed for clarity; and,  
 FIG. 14 is a bottom plan view of the strapping device of FIG. 1 in which the strap has been removed for clarity.  
 The broken line showing of FIGS. 1-14 is for the purpose of illustrating the environmental structure and form no part of the claimed design.

**1 Claim, 10 Drawing Sheets**






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8






FIG. 9






FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14