



US00D900026S

(12) **United States Design Patent**
Azuma

(10) **Patent No.:** **US D900,026 S**

(45) **Date of Patent:** **** Oct. 27, 2020**

(54) **BATTERY CHARGER FOR ELECTRIC POWER UNIT**

(71) Applicant: **HONDA MOTOR CO., LTD.**, Tokyo (JP)

(72) Inventor: **Koichi Azuma**, Wako (JP)

(73) Assignee: **HONDA MOTOR CO., LTD.**, Tokyo (JP)

(**) Term: **15 Years**

(21) Appl. No.: **29/702,841**

(22) Filed: **Aug. 22, 2019**

(30) **Foreign Application Priority Data**

Feb. 27, 2019 (JP) 2019-003969

(51) **LOC (12) Cl.** **13-02**

(52) **U.S. Cl.**
USPC **D13/107**

(58) **Field of Classification Search**
USPC D13/103, 107–108, 110, 184, 199;
D14/251, 253, 432, 434
CPC H02J 7/0044; H02J 7/0045; H02J 7/0042;
H02J 7/342; H02J 7/345; H02J 7/025;
H02J 7/026; H02J 7/0007; H02J 7/0027;
H02J 7/0003; H02J 50/00; H02J 50/10;
H02J 50/12; H02J 50/80; H02J 50/40;
H02J 50/402; H02J 50/50
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D328,450 S * 8/1992 Watanabe D13/108
D408,352 S * 4/1999 Tashiro D13/107
D462,657 S * 9/2002 Kaneko D13/107

D487,059 S * 2/2004 Glasgow D13/107
D501,182 S * 1/2005 Buck D13/110
D511,136 S * 11/2005 Hirschburger D13/107
D541,214 S * 4/2007 Ino D13/107
D577,668 S * 9/2008 Buck D13/110
D805,486 S * 12/2017 Hochman D13/184
D811,997 S * 3/2018 Sha D13/107
D813,156 S * 3/2018 Inskeep D13/107
D833,385 S * 11/2018 Inskeep D13/107
D840,334 S * 2/2019 Concari D13/110
D840,925 S * 2/2019 Tschopp D13/107
D874,395 S * 2/2020 Sun D13/107
D886,047 S * 6/2020 Hung D13/107

* cited by examiner

Primary Examiner — Rosemary K Tarcza

(74) *Attorney, Agent, or Firm* — Westerman, Hattori, Daniels & Adrian, LLP

(57) **CLAIM**

The ornamental design for a battery charger for electric power unit, as shown and described.

DESCRIPTION

FIG. 1 is a front and right perspective view of a battery charger for electric power unit, showing my new design; FIG. 2 is a front and left perspective view thereof; FIG. 3 is a rear and right perspective view thereof; FIG. 4 is a rear and left perspective view thereof; FIG. 5 is a front view thereof; FIG. 6 is a rear view thereof; FIG. 7 is a right side view thereof; FIG. 8 is a left side view thereof; FIG. 9 is a top view thereof; FIG. 10 is a bottom view thereof; and, FIG. 11 is a front and left perspective view thereof. The broken lines in the drawings illustrate portions of the battery charger for electric power unit that form no part of the claimed design.

1 Claim, 11 Drawing Sheets




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11

