



US00D900078S

(12) **United States Design Patent**
Kwak et al.

(10) **Patent No.:** **US D900,078 S**
(45) **Date of Patent:** **** Oct. 27, 2020**

- (54) **CONNECTING DEVICE FOR WIRELESS COMMUNICATIONS**
- (71) Applicant: **SAMSUNG ELECTRONICS CO., LTD.**, Suwon-si, Gyeonggi-do (KR)
- (72) Inventors: **Jihee Kwak**, Seoul (KR); **Jiyun Lim**, Incheon (KR); **Jeonghan Song**, Seoul (KR)
- (73) Assignee: **SAMSUNG ELECTRONICS CO.; LTD.**, Gyeonggi-Do (KR)

- D359,287 S 6/1995 Heberling et al.
- D377,652 S 1/1997 Sarkiniemi
- D384,672 S 10/1997 Heberling
- D385,559 S 10/1997 Conrado et al.
- D392,644 S 3/1998 McGugan
- D407,708 S 4/1999 Nagele et al.
- D422,999 S 4/2000 Overton et al.
- D429,238 S 8/2000 Kolinen
- D463,417 S 9/2002 Chan et al.
- D501,643 S 2/2005 Strand et al.
- D567,808 S 4/2008 Kanne et al.
- D615,033 S 5/2010 Baker et al.
- D628,573 S 12/2010 Wang
- D662,472 S 6/2012 Tien

(Continued)

- (**) Term: **15 Years**
- (21) Appl. No.: **29/688,335**
- (22) Filed: **Apr. 19, 2019**

Related U.S. Application Data

- (62) Division of application No. 29/624,643, filed on Nov. 2, 2017, now Pat. No. Des. 862,435.

Foreign Application Priority Data

- May 19, 2017 (KR) 30-2017-0022773

- (51) **LOC (12) Cl.** **14-03**
- (52) **U.S. Cl.**
USPC **D14/240**

- (58) **Field of Classification Search**
USPC D14/240, 242, 357, 358, 140-140.9
CPC H04L 12/00; H03K 17/00; H04W 88/00;
H04W 88/005; H04W 88/02; H04W 88/08;
H04W 88/085; H04W 88/10; H04W 88/12;
H04W 88/14; H04B 1/38
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

- D284,368 S 6/1986 Stansbury, Jr.
- D351,841 S 10/1994 Blankenship et al.

FOREIGN PATENT DOCUMENTS

- KR 300999625.0000 3/2019
- KR 300999626.0000 3/2019

Primary Examiner — Bridget L Eland

(74) *Attorney, Agent, or Firm* — Cantor Colburn LLP

(57) **CLAIM**


The ornamental design for a connecting device for wireless communications, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of a connecting device for wireless communications, showing our new design; FIG. 2 is a front view thereof; FIG. 3 is a rear view thereof; FIG. 4 is a left-side view thereof; FIG. 5 is a right-side view thereof; FIG. 6 is a top view thereof; and, FIG. 7 is a bottom view thereof.

The broken lines illustrating portions of the connecting device for wireless communications form no part of the claimed design.

1 Claim, 6 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D697,501	S	1/2014	Fargeau	
D734,250	S	7/2015	Rennick	
D736,193	S	8/2015	Kwak et al.	
D784,969	S	4/2017	MacManus	
D789,338	S	6/2017	Moon	
D813,212	S	3/2018	Nangeroni et al.	
D832,253	S	10/2018	Delibie	
D861,671	S *	10/2019	Collins	D14/300
D862,433	S *	10/2019	Song	D14/240
D862,434	S *	10/2019	Kwak	D14/240
D862,435	S *	10/2019	Kwak	D14/240
D871,382	S *	12/2019	Kwak	D14/240
D872,068	S *	1/2020	Lim	D14/240
D876,410	S *	2/2020	Jeon	D14/240
D876,411	S *	2/2020	Lim	D14/240
D879,752	S *	3/2020	Song	D14/240
D883,964	S *	5/2020	Jang	D14/240
D888,028	S *	6/2020	Jeon	D14/240
2017/0111076	A1	4/2017	Choi et al.	
2017/0111485	A1	4/2017	Kim	
2017/0324302	A1	11/2017	Jorgensen	

* cited by examiner

FIG. 1




FIG.2




FIG.3




FIG.4




FIG.5




FIG.6




FIG.7

