



US00D900193S

(12) **United States Design Patent** (10) **Patent No.:** **US D900,193 S**
Tamura et al. (45) **Date of Patent:** **** Oct. 27, 2020**

(54) **INTERCHANGEABLE LENS FOR CAMERA**

(56) **References Cited**

(71) Applicant: **CANON KABUSHIKI KAISHA**,
Tokyo (JP)
(72) Inventors: **Masahisa Tamura**, Utsunomiya (JP);
Katsuhiko Inoue, Utsunomiya (JP);
Kunihiko Sasaki, Utsunomiya (JP);
Shigehiro Torii, Saitama (JP);
Toshinori Yamazaki, Tokyo (JP); **Toru**
Matsumoto, Utsunomiya (JP); **Kazuaki**
Yamana, Kawasaki (JP); **Masayasu**
Shigematsu, Tokyo (JP)

U.S. PATENT DOCUMENTS

D670,751 S *	11/2012	Koyama	D16/134
D692,475 S *	10/2013	Hasuda	D16/134
D698,842 S *	2/2014	Hasuda	D16/219
D698,843 S *	2/2014	Hasuda	D16/219
D705,335 S	5/2014	Oikawa et al.		
D705,841 S *	5/2014	Hasuda	D16/134
D706,326 S *	6/2014	Hasuda	D16/134

(Continued)

FOREIGN PATENT DOCUMENTS

(73) Assignee: **Canon Kabushiki Kaisha**, Tokyo (JP)

JP	1456035	11/2012
JP	1456461	11/2012

(**) Term: **15 Years**

(Continued)

(21) Appl. No.: **29/715,070**

Primary Examiner — Ramzi S Almatrahi

(22) Filed: **Nov. 27, 2019**

(74) *Attorney, Agent, or Firm* — Venable LLP

Related U.S. Application Data

(62) Division of application No. 35/507,100, filed on Nov. 14, 2018 (U.S. filing date under 35 U.S.C. 384), and having an international filing date of Nov. 14, 2018.

(57) **CLAIM**

The ornamental design for an interchangeable lens for camera, as shown and described.

(30) **Foreign Application Priority Data**

May 15, 2018 (JP) 2018-010533

(51) **LOC (12) Cl.** **16-05**

(52) **U.S. Cl.**
USPC **D16/219**


(58) **Field of Classification Search**
USPC D16/134, 136, 200, 202–205, 218, 219;
348/373–376; 359/826–828; 396/25,
396/505, 529–532, 535, 539–541
CPC G03B 17/02; G03B 19/04; G03B 17/56;
G03B 17/04; G03B 15/03; G03B 17/14;
H04N 5/2251; H04N 5/2252; H04N
5/2253; H04N 5/2254; G02B 7/02; G02B
7/04; G02B 7/14

See application file for complete search history.

DESCRIPTION

FIG. 1 is a front elevation view of an interchangeable lens for camera showing our new design;
FIG. 2 is a back elevation view thereof;
FIG. 3 is a top plan view thereof;
FIG. 4 is a bottom plan view thereof;
FIG. 5 is a left side elevation view thereof;
FIG. 6 is a right side elevation view thereof; and,
FIG. 7 is a front perspective view thereof.
The broken lines depict portions of the interchangeable lens for camera in which the design is embodied that form no part of the claimed design.

1 Claim, 7 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D712,946	S	*	9/2014	Hong	D16/202
D721,117	S	*	1/2015	Hasuda	D16/219
D726,240	S		4/2015	Oikawa et al.		
D727,994	S	*	4/2015	Hasuda	D16/219
D731,577	S	*	6/2015	Hasuda	D16/219
D732,101	S	*	6/2015	Hasuda	D16/134
D732,102	S	*	6/2015	Hasuda	D16/219
D745,591	S	*	12/2015	Oh	D16/136
D750,152	S	*	2/2016	Awazu	D16/219
D780,822	S	*	3/2017	Awazu	D16/219
D783,700	S		4/2017	Tagawa et al.		
D822,750	S	*	7/2018	Yoon	D16/219
D831,093	S	*	10/2018	Tokiwa	D16/219
D838,765	S	*	1/2019	Tokiwa	D16/219
D885,462	S	*	5/2020	Nagaoka	D16/219

FOREIGN PATENT DOCUMENTS

JP	1456462	11/2012
JP	1456463	11/2012
JP	1456464	11/2012
JP	1456465	11/2012
JP	1555184	8/2016
JP	2016-126069 A	7/2017

* cited by examiner




FIG. 1




FIG. 2



FIG. 3




FIG. 4



FIG. 5



FIG. 6




FIG. 7