

US00D900194S

(12)

United States Design Patent

Tamura et al.

(10) Patent No.:

US D900,194 S

(45) Date of Patent:

** Oct. 27, 2020

(54) INTERCHANGEABLE LENS FOR CAMERA

(56) References Cited

(71) Applicant: CANON KABUSHIKI KAISHA,
Tokyo (JP)

(72) Inventors: Masahisa Tamura, Utsunomiya (JP);
Katsuhiko Inoue, Utsunomiya (JP);
Kunihiko Sasaki, Utsunomiya (JP);
Shigehiro Torii, Saitama (JP);
Toshinori Yamazaki, Tokyo (JP); Toru
Matsumoto, Utsunomiya (JP); Kazuaki
Yamana, Kawasaki (JP); Masayasu
Shigematsu, Tokyo (JP)

U.S. PATENT DOCUMENTS

D670,751	S	*	11/2012	Koyama		D16/134
D692,475	S	*	10/2013	Hasuda		D16/134
D698,842	S	*	2/2014	Hasuda		D16/219
D698,843	S	*	2/2014	Hasuda		D16/219
D705,335	S		5/2014	Oikawa et al.		
D705,841	S	*	5/2014	Hasuda		D16/134
D706,326	S	*	6/2014	Hasuda		D16/134

(Continued)

FOREIGN PATENT DOCUMENTS

(73) Assignee: Canon Kabushiki Kaisha, Tokyo (JP)

JP	1456035	11/2012
JP	1456461	11/2012

(**) Term: 15 Years

(Continued)

(21) Appl. No.: 29/715,080

Primary Examiner — Ramzi S Almatrahi

(22) Filed: Nov. 27, 2019

(74) Attorney, Agent, or Firm — Venable LLP

Related U.S. Application Data

(62) Division of application No. 35/507,100, filed on Nov. 14, 2018 (U.S. filing date under 35 U.S.C. 384), and having an international filing date of Nov. 14, 2018.

(57) CLAIM

The ornamental design for an interchangeable lens for camera, as shown and described.

(30) Foreign Application Priority Data

May 15, 2018 (JP) 2018-010536

(51) LOC (12) Cl. 16-05

(52) U.S. Cl.
USPC D16/219


(58) Field of Classification Search
USPC D16/134, 136, 200, 202–205, 218, 219;
348/373–376; 359/826–828; 396/25,
396/505, 529–532, 535, 539–541
CPC G03B 17/02; G03B 19/04; G03B 17/56;
G03B 17/04; G03B 15/03; G03B 17/14;
H04N 5/2251; H04N 5/2252; H04N
5/2253; H04N 5/2254; G02B 7/02; G02B
7/04; G02B 7/14

See application file for complete search history.

DESCRIPTION

FIG. 1 is a front elevation view of an interchangeable lens for camera showing our new design;
FIG. 2 is a back elevation view thereof;
FIG. 3 is a top plan view thereof;
FIG. 4 is a bottom plan view thereof;
FIG. 5 is a left side elevation view thereof;
FIG. 6 is a right side elevation view thereof; and,
FIG. 7 is a front perspective view thereof.
The broken lines depict portions of the interchangeable lens for camera in which the design is embodied that form no part of the claimed design.

1 Claim, 7 Drawing Sheets



(56) **References Cited**

U.S. PATENT DOCUMENTS

D712,946	S	*	9/2014	Hong		D16/202
D721,117	S	*	1/2015	Hasuda		D16/219
D726,240	S		4/2015	Oikawa et al.		
D727,994	S	*	4/2015	Hasuda		D16/219
D731,577	S	*	6/2015	Hasuda		D16/219
D732,101	S	*	6/2015	Hasuda		D16/134
D732,102	S	*	6/2015	Hasuda		D16/219
D745,591	S	*	12/2015	Oh		D16/136
D750,152	S	*	2/2016	Awazu		D16/219
D780,822	S	*	3/2017	Awazu		D16/219
D783,700	S		4/2017	Tagawa et al.		
D822,750	S	*	7/2018	Yoon		D16/219
D831,093	S	*	10/2018	Tokiwa		D16/219
D838,765	S	*	1/2019	Tokiwa		D16/219
D885,462	S	*	5/2020	Nagaoka		D16/219

FOREIGN PATENT DOCUMENTS

JP		1456462		11/2012
JP		1456463		11/2012
JP		1456464		11/2012
JP		1456465		11/2012
JP		1555184		8/2016
JP		2016-126069	A	7/2017

* cited by examiner




FIG. 1




FIG. 2




FIG. 3



FIG. 4



FIG. 5



FIG. 6




FIG. 7