



US00D900197S

(12) **United States Design Patent**
Tamura et al.

(10) **Patent No.:** **US D900,197 S**

(45) **Date of Patent:** **** *Oct. 27, 2020**

(54) **INTERCHANGEABLE LENS FOR CAMERA**

CPC G03B 17/02; G03B 19/04; G03B 17/56;
G03B 17/04; G03B 15/03; G03B 17/14;
H04N 5/2251; H04N 5/2252; H04N
5/2253; H04N 5/2254; G02B 7/02; G02B
7/04; G02B 7/14

(71) Applicant: **CANON KABUSHIKI KAISHA,**
Tokyo (JP)

See application file for complete search history.

(72) Inventors: **Masahisa Tamura,** Utsunomiya (JP);
Katsuhiro Inoue, Utsunomiya (JP);
Kunihiko Sasaki, Utsunomiya (JP);
Shigehiro Torii, Saitama (JP);
Toshinori Yamazaki, Tokyo (JP); **Toru**
Matsumoto, Utsunomiya (JP); **Kazuaki**
Yamana, Kawasaki (JP); **Masayasu**
Shigematsu, Tokyo (JP)

(56) **References Cited**

U.S. PATENT DOCUMENTS

D670,751 S * 11/2012 Koyama D16/134
D692,475 S * 10/2013 Hasuda D16/134
D698,842 S * 2/2014 Hasuda D16/219
D698,843 S * 2/2014 Hasuda D16/219
D705,335 S 5/2014 Oikawa et al.

(Continued)

(73) Assignee: **Canon Kabushiki Kaisha,** Tokyo (JP)

FOREIGN PATENT DOCUMENTS

(*) Notice: This patent is subject to a terminal dis-
claimer.

JP 1456035 11/2012
JP 1456461 11/2012

(**) Term: **15 Years**

(Continued)

(21) Appl. No.: **29/715,090**

Primary Examiner — Ramzi S Almatrahi

(22) Filed: **Nov. 27, 2019**

(74) *Attorney, Agent, or Firm* — Venable LLP

(57) **CLAIM**

The ornamental design for an interchangeable lens for
camera, as shown and described.

Related U.S. Application Data

(62) Division of application No. 35/507,100, filed on Nov.
14, 2018 (U.S. filing date under 35 U.S.C. 384), and
having an international filing date of Nov. 14, 2018.

DESCRIPTION

(30) **Foreign Application Priority Data**

May 15, 2018 (JP) 2018-010539

(51) **LOC (12) Cl.** **16-05**


(52) **U.S. Cl.**
USPC **D16/219**

(58) **Field of Classification Search**
USPC D16/134, 136, 200, 202–205, 218, 219;
348/373–376; 359/826–828; 396/25,
396/505, 529–532, 535, 539–541

FIG. 1 is a front elevation view of an interchangeable lens
for camera showing our new design;
FIG. 2 is a back elevation view thereof;
FIG. 3 is a top plan view thereof;
FIG. 4 is a bottom plan view thereof;
FIG. 5 is a left side elevation view thereof;
FIG. 6 is a right side elevation view thereof; and,
FIG. 7 is a front perspective view thereof.

The broken lines depict portions of the interchangeable lens
for camera in which the design is embodied that form no part
of the claimed design.

1 Claim, 7 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D705,841	S *	5/2014	Hasuda	D16/134
D706,326	S *	6/2014	Hasuda	D16/134
D712,946	S *	9/2014	Hong	D16/202
D721,117	S *	1/2015	Hasuda	D16/219
D726,240	S	4/2015	Oikawa et al.	
D727,994	S *	4/2015	Hasuda	D16/219
D731,577	S *	6/2015	Hasuda	D16/219
D732,101	S *	6/2015	Hasuda	D16/134
D732,102	S *	6/2015	Hasuda	D16/219
D745,591	S *	12/2015	Oh	D16/136
D750,152	S *	2/2016	Awazu	D16/219
D780,822	S *	3/2017	Awazu	D16/219
D783,700	S	4/2017	Tagawa et al.	
D822,750	S *	7/2018	Yoon	D16/219
D831,093	S *	10/2018	Tokiwa	D16/219
D838,765	S *	1/2019	Tokiwa	D16/219
D885,462	S *	5/2020	Nagaoka	D16/219

FOREIGN PATENT DOCUMENTS

JP	1456462	11/2012
JP	1456463	11/2012
JP	1456464	11/2012
JP	1456465	11/2012
JP	1555184	8/2016
JP	2016-126069 A	7/2017

* cited by examiner




FIG. 1




FIG. 2



FIG. 3



FIG. 4



FIG. 5



FIG. 6




FIG. 7