

US00D900257S

(12) **United States Design Patent** (10) **Patent No.:** **US D900,257 S**
Melanson et al. (45) **Date of Patent:** **** Oct. 27, 2020**

(54) **BICYCLE TRAINER**

(71) Applicant: **Kurt Manufacturing Company, Inc.**,
Minneapolis, MN (US)

(72) Inventors: **Scott Melanson**, Minneapolis, MN
(US); **Caleb Summers**, Richfield, MN
(US)

(73) Assignee: **KURT MANUFACTURING
COMPANY, INC.**, Minneapolis, MN
(US)

(**) Term: **15 Years**

(21) Appl. No.: **29/660,008**

(22) Filed: **Aug. 14, 2018**

(51) **LOC (12) Cl.** **21-02**

(52) **U.S. Cl.**
USPC **D21/664**

(58) **Field of Classification Search**
USPC D21/663, 667, 666, 697, 694, 665, 668,
D21/664, 690, 676, 670; 482/57, 62,
482/111, 139, 145, 60, 51, 123, 72, 61,
482/58, 9, 59, 80; 74/502.4, 502.6,
74/594.2, 594.1, 48; D12/178, 411, 345,
D12/211, 209, 205; D23/382, 381, 378,
D23/412, 411, 413, 377; D13/115;
D15/7, 138, 5
CPC ... A63B 22/0605; A63B 21/225; A63B 69/16;
A63B 21/015; A63B 2225/09; A63B
2022/0652
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D438,580 S * 3/2001 Shaw D21/663
D438,581 S * 3/2001 Shaw D21/663
D438,919 S * 3/2001 Shaw D21/663

D446,266 S * 8/2001 Lin D21/663
D450,100 S * 11/2001 Hsu D21/694
D663,794 S * 7/2012 Bingham D21/663
D666,685 S * 9/2012 Bingham D21/663
D682,370 S * 5/2013 Bingham D21/663
D794,142 S * 8/2017 Zhou D21/663
D818,057 S * 5/2018 Servadei D21/663
D825,012 S * 8/2018 Bass D21/664
10,434,364 B2 * 10/2019 Cristofori A63B 69/16
2009/0075785 A1 * 3/2009 Schroeder A63B 69/16
482/61
2011/0287902 A1 * 11/2011 Bingham, Jr. A63B 21/0088
482/61
2013/0053223 A1 * 2/2013 Shu-Chiung A63B 69/16
482/61
2014/0171272 A1 * 6/2014 Hawkins, III A63B 24/0087
482/61
2016/0107026 A1 * 4/2016 Hsu A63B 23/0476
482/80

* cited by examiner

Primary Examiner — Ryan Harvey

(74) *Attorney, Agent, or Firm* — Steven M. Koehler;
Westman, Champlin & Koehler, P.A.


(57) **CLAIM**

The ornamental design for a bicycle trainer, as shown and
described.

DESCRIPTION

FIG. 1 is a perspective view of a bicycle trainer.
FIG. 2 is a top view of the bicycle trainer of FIG. 1.
FIG. 3 is a bottom view of the bicycle trainer of FIG. 1.
FIG. 4 is a front view of the bicycle trainer of FIG. 1.
FIG. 5 is a rear view of the bicycle trainer of FIG. 1.
FIG. 6 is a right view of the bicycle trainer of FIG. 1; and,
FIG. 7 is a left view of the bicycle trainer of FIG. 1.
The broken lines of FIGS. 1-7 are included for the purpose
of illustrating environmental structure and form no part of
the claimed design.

1 Claim, 4 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7