

US00D900276S

(12) **United States Design Patent** (10) **Patent No.:** **US D900,276 S**  
**McWade** (45) **Date of Patent:** **\*\* Oct. 27, 2020**

(54) **TANK HOLDER**

- (71) Applicant: **Ellen McWade**, Nederland, CO (US)  
(72) Inventor: **Ellen McWade**, Nederland, CO (US)  
(\*\*\*) Term: **15 Years**  
(21) Appl. No.: **29/635,903**  
(22) Filed: **Feb. 5, 2018**  
(51) LOC (12) Cl. ..... **23-01**  
(52) U.S. Cl.  
USPC ..... **D23/206**  
(58) **Field of Classification Search**  
USPC ..... D23/200, 206; D6/552, 567; 220/628,  
220/737; D8/873; D3/316; D12/400  
CPC ..... A61J 1/16; A47B 91/005; A47B 81/007;  
B65D 90/12; B65D 25/22; B65D 25/24  
See application file for complete search history.

(56) **References Cited**

## U.S. PATENT DOCUMENTS

- D194,138 S \* 11/1962 Waller ..... D24/229  
D301,102 S \* 5/1989 Kloberg, Jr. ..... D6/567  
D301,304 S \* 5/1989 Will ..... D25/119  
D319,003 S \* 8/1991 Scharrenberg, Jr. ..... D23/206  
5,492,346 A \* 2/1996 Stadler ..... B62B 1/20  
280/47.19  
D439,085 S \* 3/2001 Quinn ..... D19/77  
D441,193 S \* 5/2001 Edwards ..... D3/316  
D544,760 S \* 6/2007 Croteau ..... D7/622  
D566,490 S \* 4/2008 Frentzel ..... D7/701  
D630,704 S \* 1/2011 Kochanski ..... D23/206  
D632,911 S \* 2/2011 Kolada ..... D6/552  
D661,371 S \* 6/2012 Willard ..... D23/206  
D707,500 S \* 6/2014 Breuss ..... D7/641  
D769,642 S \* 10/2016 Holton ..... D6/552  
D779,628 S \* 2/2017 Smith ..... D23/206  
9,643,528 B1 \* 5/2017 Bemer ..... B60P 7/0892

(Continued)

## OTHER PUBLICATIONS

Drager Cylinder Holder for X-Dock [Feb. 5, 2020] found online [Feb. 5, 2020]—<https://www.allsafeindustries.com/9832-Cylinder-Holder-for-DIN-rail-wall-bracket.aspx>.\*

*Primary Examiner* — Lakiya G Rogers  
*Assistant Examiner* — John A Voytek

(74) *Attorney, Agent, or Firm* — Gary E. Lambert; David J. Connaughton, Jr.; Lambert Shortell & Connaughton

(57) **CLAIM**

The ornamental design for a tank holder, as shown and described.

**DESCRIPTION**

FIG. 1 is a front isometric view of the tank holder, which embodies my design;

FIG. 2 is a top plan view thereof;

FIG. 3 is a bottom plan view thereof;

FIG. 4 is a back side view thereof;

FIG. 5 is a front side view thereof;

FIG. 6 is a side view thereof;

FIG. 7 is a side view thereof;

FIG. 8 is a front isometric view thereof shown in environmental use;

FIG. 9 is a top plan view thereof shown in environmental use;

FIG. 10 is a bottom plan view thereof shown in environmental use;


FIG. 11 is a side view thereof shown in environmental use;

FIG. 12 is a side view thereof shown in environmental use;

FIG. 13 is a side view thereof shown in environmental use; and,

FIG. 14 is a side view thereof shown in environmental use. The broken line depicting the straps in FIGS. 8-14 illustrate environmental subject matter that forms no part of the claimed design.

**1 Claim, 10 Drawing Sheets**




(56)

**References Cited**


**U.S. PATENT DOCUMENTS**

D841,560 S \* 2/2019 DeGiule ..... D12/400  
2015/0305979 A1 \* 10/2015 Tintinger ..... A61J 1/165  
62/3.62  
2017/0071336 A1 \* 3/2017 Wilhelmsen ..... B65D 19/0097


\* cited by examiner




*Fig. 1*




***Fig. 2***




*Fig. 3*




*Fig. 4*




*Fig. 5*




*Fig. 6*




*Fig. 7*




*Fig. 8*




*Fig. 9*



*Fig. 10*




*Fig. 11*



*Fig. 12*



*Fig. 13*



*Fig. 14*