



US00D900324S

(12) **United States Design Patent** (10) **Patent No.:** **US D900,324 S**
Spink (45) **Date of Patent:** **** Oct. 27, 2020**

(54) **JAW RANGE OF MOTION DEVICE**
(71) Applicant: **Michael Spink**, Northampton, MA (US)
(72) Inventor: **Michael Spink**, Northampton, MA (US)
(**) Term: **15 Years**
(21) Appl. No.: **29/689,765**
(22) Filed: **May 1, 2019**
(51) **LOC (12) Cl.** **24-02**
(52) **U.S. Cl.**
USPC **D24/180; D21/694**
(58) **Field of Classification Search**
USPC D21/503, 680, 683, 694; D24/156, 176,
D24/180, 181, 221, 231; D29/108
CPC ... A61H 1/02; A61H 2205/026; A63B 23/032
See application file for complete search history.

10,569,128 B2 * 2/2020 Hirschinger A63B 23/032
D883,578 S * 5/2020 Howard D29/108
2007/0037665 A1 * 2/2007 Robbins A63B 21/0004
482/11
2018/0056121 A1 * 3/2018 Hirschinger A63B 23/032
* cited by examiner


Primary Examiner — Michael C Stout
Assistant Examiner — Fritzgerald L Butac
(74) *Attorney, Agent, or Firm* — Duquette Law Group, LLC

(56) **References Cited**
U.S. PATENT DOCUMENTS
D411,590 S * 6/1999 Blæsild D21/486
D723,119 S * 2/2015 Stewart D21/694
D739,485 S * 9/2015 Kulzer D21/694
D766,443 S * 9/2016 Takeda D24/180
D837,382 S * 1/2019 Steen D24/180
D838,785 S * 1/2019 Wonner D21/505
D854,163 S * 7/2019 Vela Hernandez D24/180
10,376,737 B1 * 8/2019 Shepherd A44C 25/00
D865,077 S * 10/2019 Fontaine D21/498

(57) **CLAIM**
I claim the ornamental design for a jaw range of motion device, as shown and described.

DESCRIPTION
FIG. 1 is a top perspective view of jaw range of motion device according to my new design;
FIG. 2 is a front view thereof;
FIG. 3 is a rear view thereof;
FIG. 4 is a left side view thereof;
FIG. 5 is a right side view thereof;
FIG. 6 is a top view thereof; and,
FIG. 7 is a bottom view thereof.

1 Claim, 7 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7