



US00D900365S

(12) **United States Design Patent**  
**Cayon et al.**

(10) **Patent No.:** **US D900,365 S**

(45) **Date of Patent:** **\*\* Oct. 27, 2020**

(54) **LIGHTING DEVICE**

(71) Applicant: **BLACK & DECKER INC.**, New Britain, CT (US)

(72) Inventors: **Troy A. Cayon**, Baltimore, MD (US); **Daniel L. Schwarz**, Timonium, MD (US); **Michael J. Schaub**, Nottingham, MD (US); **Nancy L. Chung**, Silver Spring, MD (US); **James R. Carberry**, Baltimore, MD (US)

(73) Assignee: **Black & Decker Inc.**, New Britain, CT (US)

(\*\*) Term: **15 Years**

(21) Appl. No.: **29/669,481**

(22) Filed: **Nov. 8, 2018**

**Related U.S. Application Data**

(63) Continuation-in-part of application No. 15/981,130, filed on May 16, 2018, now Pat. No. 10,412,805.

(51) **LOC (12) Cl.** ..... **26-02**

(52) **U.S. Cl.**  
USPC ..... **D26/37**

(58) **Field of Classification Search**

USPC ..... D26/1, 24, 25, 43, 60, 110, 113, 28, 37, D26/61, 85, 102, 138-140, 71, 72, 88, D26/91-92; 362/249.14, 311.02, 311.13  
CPC ..... F21S 4/00; F21S 4/10; F21S 4/15; F21S 4/26; F21S 2/00; F21S 8/003; F21S 8/043; F21S 8/04; F21S 8/06; F21S 8/061; F21S 8/063; F21S 8/008; F21V 11/02; F21V 11/06; F21V 17/10; F21V 17/16; F21V 21/0296; F21V 21/0054; F21V 21/008; F21V 21/00; F21V 21/08; F21V 21/02; F21V 23/00; F21V 23/04;

F21V 33/00; F21V 21/14; F21V 21/30; F21V 29/767; F21V 29/77; F21V 29/771; F21V 29/78; F21V 14/02; F21V 14/00; F21V 14/06; F21W 2121/00; F21W 2121/04; F21Y 2115/10; F21L 4/00; F21L 4/02; F21L 4/04; F21L 4/08

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D493,558 S *	7/2004	Kovach	.....	D26/72
D637,339 S *	5/2011	Hasan	.....	D26/72
D803,448 S *	11/2017	Dupras	.....	D26/63
D839,469 S *	1/2019	Deng	.....	D26/88

\* cited by examiner

*Primary Examiner* — Abraham Bahta

(74) *Attorney, Agent, or Firm* — Amir Rohani

(57) **CLAIM**


The ornamental design for a lighting device, as shown and described.

**DESCRIPTION**

FIG. 1 is a perspective rear-bottom view of a lighting device; FIG. 2 is a perspective frontal-top view thereof; FIG. 3 is a front view thereof; FIG. 4 is a rear view thereof; FIG. 5 is a view from one side thereof; FIG. 6 is a view from another side thereof; FIG. 7 is a top view thereof; and, FIG. 8 is a bottom view thereof.

The broken line showing of portions of the lighting device is included for the purpose of illustrating environmental structure and forms no part of the claimed design.

**1 Claim, 8 Drawing Sheets**






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7






FIG. 8