



US00D900441S

(12) **United States Design Patent**
Avar et al.

(10) **Patent No.:** **US D900,441 S**
(45) **Date of Patent:** **** Nov. 3, 2020**

- (54) **SHOE**
- (71) Applicant: **NIKE, Inc.**, Beaverton, OR (US)
- (72) Inventors: **Eric P. Avar**, Lake Oswego, OR (US);
Fanny Yung Ho, Portland, OR (US);
Ross Klein, Portland, OR (US)
- (73) Assignee: **NIKE, Inc.**, Beaverton, OR (US)
- (**) Term: **15 Years**
- (21) Appl. No.: **29/688,357**
- (22) Filed: **Apr. 19, 2019**
- (51) **LOC (12) Cl.** **02-04**
- (52) **U.S. Cl.**
USPC **D2/947**
- (58) **Field of Classification Search**
USPC D2/902, 906, 908, 916, 918, 925,
D2/946-962, 972, 977; 36/3 B, 22 R,
36/24.5, 25 R, 28, 32 R, 34 R, 59 C,
36/67 A, 103
CPC A43B 13/00; A43B 13/02; A43B 13/023;
A43B 13/026; A43B 13/04; A43B 13/08;
A43B 13/10; A43B 13/12; A43B 13/14;
A43B 13/141; A43B 13/143; A43B
13/16; A43B 13/18; A43B 13/181; A43B
13/187; A43B 13/189; A43B 13/20; A43B
13/22; A43B 13/223; A43B 13/24; A43B
13/28; A43B 13/30; A43B 13/32; A43B
13/34; A43B 13/36
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

- D490,232 S * 5/2004 Kuerbis D2/972
- D513,362 S * 1/2006 Kuerbis D2/972
- D568,598 S * 5/2008 Caron D2/972

- D568,601 S * 5/2008 Chang D2/972
- D783,959 S * 4/2017 Chang D2/947
- D789,051 S * 6/2017 Kuerbis D2/947
- D790,843 S * 7/2017 Teague D2/972
- D796,800 S * 9/2017 Chang D2/947
- D803,531 S * 11/2017 Petrie D2/947
- D809,757 S * 2/2018 Ford D2/947
- D815,424 S * 4/2018 Petrie D2/977
- D825,158 S * 8/2018 Petrenka D2/947
- D846,243 S * 4/2019 Comeaux D2/947
- D853,093 S * 7/2019 Young D2/947
- D854,287 S * 7/2019 Enayah D2/947
- D862,055 S * 10/2019 Petrie D2/947
- D866,134 S * 11/2019 McMillan D2/947
- D872,982 S * 1/2020 Kuerbis D2/947
- D874,809 S * 2/2020 McMillan D2/972
- D877,465 S * 3/2020 Hartmann B29D 35/122
D2/902
- D878,019 S * 3/2020 McMillan A43B 13/145
D2/947

(Continued)

Primary Examiner — T Chase Nelson

(74) *Attorney, Agent, or Firm* — Banner & Witcoff, Ltd.

(57) **CLAIM**

The ornamental design for a shoe, as shown and described.

DESCRIPTION


FIG. 1 is a front perspective view of a shoe showing our new design;

FIG. 2 is a side view thereof; and,

FIG. 3 is a rear perspective view thereof.

The oblique shade lines represent a translucent or transparent appearance. The broken lines showing the racetrack shaped region within the shaded area forms no part of the claimed design. The broken lines immediately adjacent to the shaded area define the bounds of the claimed design and form no part thereof. The broken lines depicting the remainder of the shoe show features that form no part of the claimed design.

1 Claim, 3 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D879,423	S *	3/2020	Engel	A43B 13/125
					D2/947
D880,119	S *	4/2020	Kuerbis	D2/947
D880,823	S *	4/2020	Little	D2/947
D880,824	S *	4/2020	Little	D2/947
D882,221	S *	4/2020	Cooper	D2/947
2006/0137221	A1 *	6/2006	Dojan	B29D 35/122
					36/29
2010/0299969	A1 *	12/2010	Paez	A43B 13/145
					36/30 R
2011/0252670	A1 *	10/2011	Smith	A43B 13/125
					36/25 R

* cited by examiner




FIG. 1




FIG. 2




FIG. 3