



US00D900724S

(12) **United States Design Patent** (10) **Patent No.:** **US D900,724 S**
Guilford et al. (45) **Date of Patent:** **** Nov. 3, 2020**

(54) **TIRE**

(71) Applicant: **The Goodyear Tire & Rubber Company**, Akron, OH (US)
(72) Inventors: **John Stephen Guilford**, Spencer, OH (US); **Derek John Becker**, Munroe Falls, OH (US)
(73) Assignee: **The Goodyear Tire & Rubber Company**, Akron, OH (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/692,165**

(22) Filed: **May 23, 2019**

(51) **LOC (12) Cl.** **12-15**

(52) **U.S. Cl.**
USPC **D12/590**

(58) **Field of Classification Search**
USPC D12/502, 581, 586, 587, 588, 589, 590, D12/594, 595, 600, 601
CPC B60C 11/032; B60C 11/0388
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D265,184 S *	6/1982	Hammond	D12/586
D312,601 S *	12/1990	Adam	D12/586
D317,427 S *	6/1991	Enoki	D12/586
D317,737 S *	6/1991	Enoki	D12/586
D318,035 S *	7/1991	Enoki	D12/586
D352,487 S *	11/1994	Paulin	D12/586
D370,439 S	6/1996	Feider et al.	D12/147
D383,713 S	9/1997	Grosskopf	D12/146
D385,235 S	10/1997	Young	D12/141
D388,030 S *	12/1997	Schuster	D12/586
D388,370 S	12/1997	Young et al.	D12/146
D390,170 S *	2/1998	Stone	D12/590
D390,510 S	2/1998	Stone et al.	D12/143
D397,647 S	9/1998	Young	D12/146

(Continued)

OTHER PUBLICATIONS

U.S. Appl. No. 29/628,054, filed Dec. 1, 2017, to Jones, et al., Goodyear.

(Continued)

Primary Examiner — Robert M. Spear

(74) *Attorney, Agent, or Firm* — Robert N. Lipsik

(57) **CLAIM**

The ornamental Design for a tire, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a tire showing our new design, it being understood that the pattern repeats uniformly throughout the circumference of the tread;

FIG. 2 is a front elevational view thereof;

FIG. 3 is a right side elevational view thereof; the left side elevational view being identical thereto;


FIG. 4 is an enlarged fragmentary front elevational view thereof;

FIG. 5 is a perspective view of a second embodiment of a tire showing our new design, it being understood that the interior of the tire forms no part of the claim, that the pattern repeats uniformly throughout the circumference of the tread and that the opposite side view is identical thereto; and,

FIG. 6 is a front elevational view of a second embodiment, it being understood that an enlarged fragmentary view thereof would be substantially identical to that shown in FIG. 4, with the exception of the inclusion of the sidewall in the claim.

In the drawings, the broken lines immediately adjacent to the outer edges of the tire shoulder represent boundaries of the claim, and the broken lines depict environmental subject matter only and form no part of the claimed design.

1 Claim, 6 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D402,238 S * 12/1998 Young D12/586
 D414,446 S 9/1999 Kemp, Jr. D12/141
 D414,725 S 10/1999 Kemp, Jr. D12/143
 D448,707 S 10/2001 Maziarka et al. D12/147
 D451,438 S 12/2001 Galante et al. D12/146
 D451,860 S 12/2001 Schuster et al. D12/147
 D464,025 S 10/2002 Okano D12/588
 D472,204 S 3/2003 Kemp, Jr. et al. D12/588
 D481,992 S * 11/2003 Harden, Jr. D12/595
 D484,456 S * 12/2003 Irimiya D12/590
 D489,036 S 4/2004 Irimiya D12/553
 D500,287 S * 12/2004 Gojo D12/586
 D502,444 S 3/2005 Wage D12/588
 D506,722 S 6/2005 Nonaka D12/553
 D555,081 S 11/2007 Feider et al. D12/588
 D583,312 S 12/2008 Murphy et al. D12/602
 D604,230 S 11/2009 Brown et al. D12/588
 D605,107 S 12/2009 Ludwig et al. D12/588
 D605,108 S 12/2009 Brown et al. D12/588
 D606,011 S * 12/2009 Ohara D12/590
 D608,725 S * 1/2010 Ohara D12/551
 D609,169 S 2/2010 Feider D12/588
 D609,170 S 2/2010 Feider et al. D12/588
 D609,175 S 2/2010 Feider et al. D12/600
 D610,077 S * 2/2010 Tobino D12/601
 D613,680 S 4/2010 Dixon et al. D12/588
 D615,922 S 5/2010 Takano D12/588
 D619,529 S 7/2010 Georges et al. D12/590
 D635,915 S 4/2011 Hamada D12/588
 D640,968 S 7/2011 Cazin-Bourguignon et al.
 D12/583
 D642,511 S 8/2011 Strader et al. D12/587
 D642,974 S 8/2011 Koshio D12/600
 D673,897 S 1/2013 Krier D12/587
 D674,740 S 1/2013 Mathonet et al. D12/588

D674,741 S 1/2013 Mathonet et al. D12/588
 D675,560 S 2/2013 Kato D12/590
 D675,979 S * 2/2013 Ohara D12/586
 D686,973 S 7/2013 Otani D12/588
 D719,907 S 12/2014 Ohara D12/588
 D730,273 S 5/2015 Schimmoeller D12/601
 D732,465 S 6/2015 Yamada D12/588
 D746,765 S * 1/2016 Hutz D12/588
 D748,045 S 1/2016 Kitamura D12/584
 D755,116 S 5/2016 Wang et al. D12/588
 D759,581 S * 6/2016 Wang D12/586
 D765,023 S 8/2016 Parr et al. D12/601
 D768,059 S 10/2016 Brown D12/588
 D780,101 S 2/2017 Brown D12/590
 D781,221 S 3/2017 Oji D12/586
 D785,551 S 5/2017 Farinelle et al. D12/588
 D789,277 S 6/2017 Dixon et al. D12/518
 D789,284 S 6/2017 Krier et al. D12/588
 D823,782 S 7/2018 Bortolet et al. D12/583
 D828,290 S 9/2018 Reygrobellet et al. D12/588
 D842,230 S 3/2019 Coton et al. D12/588
 D843,313 S * 3/2019 Cai D12/590
 D845,880 S 4/2019 Jones et al. D12/553
 D865,652 S * 11/2019 Jones D12/553
 D866,452 S * 11/2019 Jones D12/553
 D870,028 S * 12/2019 Wang D12/590
 D875,655 S * 2/2020 Wang D12/588

OTHER PUBLICATIONS

U.S. Appl. No. 29/628,056, filed Dec. 1, 2017, to Jones, et al.,
 Goodyear.
 U.S. Appl. No. 29/635,120, filed Jan. 29, 2018, to Becker, et al.,
 Goodyear.
 U.S. Appl. No. 29/664,893, filed Sep. 28, 2018, to Coots, Goodyear.

* cited by examiner




FIG - 1




FIG - 2




FIG - 3




FIG - 4




FIG - 5




FIG - 6