US00D900724S

(12) **United States Design Patent**
Guilford et al.

(10) **Patent No.: US D900,724 S**
(45) **Date of Patent: ** Nov. 3, 2020**

(54) **TIRE**

(71) Applicant: **The Goodyear Tire & Rubber Company**, Akron, OH (US)

(72) Inventors: **John Stephen Guilford**, Spencer, OH (US); **Derek John Becker**, Munroe Falls, OH (US)

(73) Assignee: **The Goodyear Tire & Rubber Company**, Akron, OH (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/692,165**

(22) Filed: **May 23, 2019**

(51) **LOC (12) Cl.** **12-15**

(52) **U.S. Cl.**
USPC **D12/590**

(58) **Field of Classification Search**
USPC D12/502, 581, 586, 587, 588, 589, 590, D12/594, 595, 600, 601
CPC B60C 11/032; B60C 11/0388
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D265,184	S	*	6/1982	Hammond	D12/586
D312,601	S	*	12/1990	Adam	D12/586
D317,427	S	*	6/1991	Enoki	D12/586
D317,737	S	*	6/1991	Enoki	D12/586
D318,035	S	*	7/1991	Enoki	D12/586
D352,487	S	*	11/1994	Paulin	D12/586
D370,439	S		6/1996	Feider et al.	D12/147
D383,713	S		9/1997	Grosskopf	D12/146
D385,235	S		10/1997	Young	D12/141
D388,030	S	*	12/1997	Schuster	D12/586
D388,370	S		12/1997	Young et al.	D12/146
D390,170	S	*	2/1998	Stone	D12/590
D390,510	S		2/1998	Stone et al.	D12/143
D397,647	S		9/1998	Young	D12/146

(Continued)

OTHER PUBLICATIONS

U.S. Appl. No. 29/628,054, filed Dec. 1, 2017, to Jones, et al., Goodyear.

(Continued)

Primary Examiner — Robert M. Spear
(74) *Attorney, Agent, or Firm* — Robert N. Lipcsik

(57) **CLAIM**

The ornamental Design for a tire, as shown and described.

DESCRIPTION

FIG. **1** is a perspective view of a tire showing our new design, it being understood that the pattern repeats uniformly throughout the circumference of the tread;
FIG. **2** is a front elevational view thereof;
FIG. **3** is a right side elevational view thereof; the left side elevational view being identical thereto;
FIG. **4** is an enlarged fragmentary front elevational view thereof;
FIG. **5** is a perspective view of a second embodiment of a tire showing our new design, it being understood that the interior of the tire forms no part of the claim, that the pattern repeats uniformly throughout the circumference of the tread and that the opposite side view is identical thereto; and,
FIG. **6** is a front elevational view of a second embodiment, it being understood that an enlarged fragmentary view thereof would be substantially identical to that shown in FIG. **4**, with the exception of the inclusion of the sidewall in the claim.
In the drawings, the broken lines immediately adjacent to the outer edges of the tire shoulder represent boundaries of the claim, and the broken lines depict environmental subject matter only and form no part of the claimed design.

1 Claim, 6 Drawing Sheets



(56) **References Cited**

U.S. PATENT DOCUMENTS

D402,238	S	*	12/1998	Young	D12/586
D414,446	S		9/1999	Kemp, Jr.	D12/141
D414,725	S		10/1999	Kemp, Jr.	D12/143
D448,707	S		10/2001	Maziarka et al.	D12/147
D451,438	S		12/2001	Galante et al.	D12/146
D451,860	S		12/2001	Schuster et al.	D12/147
D464,025	S		10/2002	Okano	D12/588
D472,204	S		3/2003	Kemp, Jr. et al.	D12/588
D481,992	S	*	11/2003	Harden, Jr.	D12/595
D484,456	S	*	12/2003	Irimiya	D12/590
D489,036	S		4/2004	Irimiya	D12/553
D500,287	S	*	12/2004	Gojo	D12/586
D502,444	S		3/2005	Wage	D12/588
D506,722	S		6/2005	Nonaka	D12/553
D555,081	S		11/2007	Feider et al.	D12/588
D583,312	S		12/2008	Murphy et al.	D12/602
D604,230	S		11/2009	Brown et al.	D12/588
D605,107	S		12/2009	Ludwig et al.	D12/588
D605,108	S		12/2009	Brown et al.	D12/588
D606,011	S	*	12/2009	Ohara	D12/590
D608,725	S	*	1/2010	Ohara	D12/551
D609,169	S		2/2010	Feider	D12/588
D609,170	S		2/2010	Feider et al.	D12/588
D609,175	S		2/2010	Feider et al.	D12/600
D610,077	S	*	2/2010	Tobino	D12/601
D613,680	S		4/2010	Dixon et al.	D12/588
D615,922	S		5/2010	Takano	D12/588
D619,529	S		7/2010	Georges et al.	D12/590
D635,915	S		4/2011	Hamada	D12/588
D640,968	S		7/2011	Cazin-Bourguignon et al.	D12/583
D642,511	S		8/2011	Strader et al.	D12/587
D642,974	S		8/2011	Koshio	D12/600
D673,897	S		1/2013	Krier	D12/587
D674,740	S		1/2013	Mathonet et al.	D12/588
D674,741	S		1/2013	Mathonet et al.	D12/588
D675,560	S		2/2013	Kato	D12/590
D675,979	S	*	2/2013	Ohara	D12/586
D686,973	S		7/2013	Otani	D12/588
D719,907	S		12/2014	Ohara	D12/588
D730,273	S		5/2015	Schimmoeller	D12/601
D732,465	S		6/2015	Yamada	D12/588
D746,765	S	*	1/2016	Hutz	D12/588
D748,045	S		1/2016	Kitamura	D12/584
D755,116	S		5/2016	Wang et al.	D12/588
D759,581	S	*	6/2016	Wang	D12/586
D765,023	S		8/2016	Parr et al.	D12/601
D768,059	S		10/2016	Brown	D12/588
D780,101	S		2/2017	Brown	D12/590
D781,221	S		3/2017	Oji	D12/586
D785,551	S		5/2017	Farinelle et al.	D12/588
D789,277	S		6/2017	Dixon et al.	D12/518
D789,284	S		6/2017	Krier et al.	D12/588
D823,782	S		7/2018	Bortolet et al.	D12/583
D828,290	S		9/2018	Reygrobellet et al.	D12/588
D842,230	S		3/2019	Coton et al.	D12/588
D843,313	S	*	3/2019	Cai	D12/590
D845,880	S		4/2019	Jones et al.	D12/553
D865,652	S	*	11/2019	Jones	D12/553
D866,452	S	*	11/2019	Jones	D12/553
D870,028	S	*	12/2019	Wang	D12/590
D875,655	S	*	2/2020	Wang	D12/588

OTHER PUBLICATIONS

U.S. Appl. No. 29/628,056, filed Dec. 1, 2017, to Jones, et al., Goodyear.

U.S. Appl. No. 29/635,120, filed Jan. 29, 2018, to Becker, et al., Goodyear.

U.S. Appl. No. 29/664,893, filed Sep. 28, 2018, to Coots, Goodyear.

* cited by examiner



FIG - 1



FIG - 2



FIG - 3



FIG - 4



FIG - 5



FIG - 6