

US00D900733S

(12) **United States Design Patent** (10) **Patent No.:** **US D900,733 S**
Roberts (45) **Date of Patent:** **** Nov. 3, 2020**

(54) **INDUCTIVE CHARGER**

(71) Applicant: **James Roberts**, St Martin (JE)

(72) Inventor: **James Roberts**, St Martin (JE)

(73) Assignee: **Flashbay Electronics Hong Kong Limited**, Hong Kong (HK)

(**) Term: **15 Years**

(21) Appl. No.: **29/663,644**

(22) Filed: **Sep. 18, 2018**

(51) **LOC (12) Cl.** **13-02**

(52) **U.S. Cl.**
USPC **D13/108**

(58) **Field of Classification Search**
USPC D13/107–108, 110, 118, 184; D14/251,
D14/253, 432, 434
CPC .. H02J 50/00; H02J 50/10; H02J 50/12; H02J
50/50; H02J 50/80; H02J 7/025; H02J
5/00; H02J 5/005; H02J 7/0042; H02J
7/0044; H02J 7/0045; H02J 7/00032;
H02J 7/00034

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D526,973 S	*	8/2006	Gates		D13/168
D673,110 S	*	12/2012	Sasada		D13/108
D694,228 S	*	11/2013	Richter		D14/253
D725,034 S	*	3/2015	Chen		D13/108
D735,131 S	*	7/2015	Akana		D13/108
D747,267 S	*	1/2016	Aumiller		D13/108
D772,813 S	*	11/2016	Wahl		D13/108
D774,455 S	*	12/2016	Kim		D13/108
D782,973 S	*	4/2017	Zhou		D13/108
D786,792 S	*	5/2017	Miller		D13/110

D797,042 S	*	9/2017	Miller		D13/107
D798,807 S	*	11/2017	Shi		D13/108
D802,529 S	*	11/2017	Andersson		D13/108
D809,456 S	*	2/2018	Miller		D13/110
D817,268 S	*	5/2018	Symons		D13/108
D824,851 S	*	8/2018	Antonetti		D13/108
D825,549 S	*	8/2018	Lebovitz		D14/253
D837,148 S	*	1/2019	Brown		D13/108
D839,188 S	*	1/2019	Akana		D13/108
D850,367 S	*	6/2019	Xiong		D13/108
D850,372 S	*	6/2019	Kong		D13/108
D864,885 S	*	10/2019	Kobayashi		D13/184
2017/0063138 A1	*	3/2017	Chen		H02J 7/025
2017/0126048 A1	*	5/2017	Wang		H02J 7/025
2018/0109130 A1	*	4/2018	Lin		H01R 13/6658
2019/0007531 A1	*	1/2019	Wang		G04G 17/08
2019/0165516 A1	*	5/2019	Li		H01R 13/631
2019/0319476 A1	*	10/2019	Hou		H02J 50/10

* cited by examiner

Primary Examiner — Rosemary K Tarcza

(57) **CLAIM**

The ornamental design for an inductive charger, as shown and described.

DESCRIPTION

FIG. 1 is a top view of the inductive charger;
FIG. 2 is a bottom view thereof;
FIG. 3 is a rear view thereof;
FIG. 4 is a front view thereof;
FIG. 5 is a left side view thereof;
FIG. 6 is a right side view thereof; and,
FIG. 7 is a front, top, left side perspective thereof.
The broken lines showing the part between the circular base and the long thin rectangular plate are for the purpose of illustrating portions of the inductive charger that form no part of the claimed design.

1 Claim, 4 Drawing Sheets




FIG.1




FIG.2




FIG.3




FIG.4




FIG.5




FIG.6




FIG.7

