



US00D901718S

(12) **United States Design Patent** (10) **Patent No.:** **US D901,718 S**  
**Schoonover et al.** (45) **Date of Patent:** **\*\* Nov. 10, 2020**

(54) **RETENTION CONNECTION EXTRUSION FOR A PINCH SENSOR**

4,533,278 A \* 8/1985 Corsover ..... E01C 11/10  
404/65  
D309,351 S \* 7/1990 Patsy, Jr. .... D25/119  
D324,329 S \* 3/1992 Kleiss ..... D25/131

(71) Applicant: **Vintech Industries, Inc.**, Imlay City, MI (US)

(Continued)

(72) Inventors: **James Schoonover**, Shelby Township, MI (US); **Robert Rutoski**, Imlay City, MI (US)

*Primary Examiner* — Susan E Krakower  
*Assistant Examiner* — Jerry Shiuan-Hua Hsu  
(74) *Attorney, Agent, or Firm* — Warn Partners, P.C.

(73) Assignee: **Vintech Industries, Inc.**, Imlay City, MI (US)

(57) **CLAIM**

The ornamental design for a retention connection extrusion for a pinch sensor, as shown and described.

(\*\*) Term: **15 Years**

**DESCRIPTION**

(21) Appl. No.: **29/594,924**

FIG. 1 is a perspective view of a retention connection extrusion for a pinch sensor, in accordance with a first embodiment of the present invention;  
FIG. 2 is a front elevation view thereof, shown in a condition of use;

(22) Filed: **Feb. 23, 2017**

(51) **LOC (12) Cl.** ..... **25-02**

(52) **U.S. Cl.**  
USPC ..... **D25/48.2**; D25/121

(58) **Field of Classification Search**  
USPC ..... D8/354, 355, 400, 403, 376; D25/35, D25/38.1, 41.1, 42, 43, 44, 47.1, 48.1, D25/48.4, 58, 119–123, 125, 136, 137, D25/164, 199, 48.2, 61, 55, 102  
CPC .... E02D 29/16; E04B 1/6803; E04B 1/6813; E04B 2/74; E01C 11/10; E01C 11/106; B60R 13/06; E06B 3/285; E04F 13/0889  
See application file for complete search history.

FIG. 3 is a front elevation view thereof;  
FIG. 4 is a right side elevation view thereof;  
FIG. 5 is a bottom plan view thereof;  
FIG. 6 is a left side elevation view thereof;  
FIG. 7 is a top plan view thereof;  
FIG. 8 is a rear elevation view thereof;  
FIG. 9 is a perspective view of a retention connection extrusion for a pinch sensor, in accordance with a second embodiment of the present invention;  
FIG. 10 is a front elevation view thereof, shown in a condition of use;  
FIG. 11 is a front elevation view thereof;  
FIG. 12 is a right side elevation view thereof;  
FIG. 13 is a bottom plan view thereof;  
FIG. 14 is a left side elevation view thereof;  
FIG. 15 is a top plan view thereof; and,  
FIG. 16 is a rear elevation view thereof.


(56) **References Cited**

U.S. PATENT DOCUMENTS

3,973,371 A \* 8/1976 Heller ..... E04B 2/74  
52/280  
D242,625 S \* 12/1976 Schmidt ..... D25/121  
D246,889 S \* 1/1978 Eckerline ..... D25/121  
4,189,880 A \* 2/1980 Ballin ..... E06B 3/285  
160/380

The broken lines showing symbolic breaks illustrate boundary lines which form no part of the claimed design. The broken lines in FIGS. 2 and 10 illustrate environmental structure that forms no part of the claimed design.

**1 Claim, 6 Drawing Sheets**



(56)

References Cited

U.S. PATENT DOCUMENTS

5,155,952 A \* 10/1992 Herwegh ..... E04B 1/6803  
 52/100  
 5,197,250 A \* 3/1993 Kramer ..... E01C 11/10  
 404/65  
 D344,809 S \* 3/1994 Bancroft ..... D25/121  
 D388,183 S \* 12/1997 Payton ..... D25/121  
 5,888,017 A \* 3/1999 Corrie ..... E01C 11/106  
 404/64  
 D418,353 S \* 1/2000 Cadorette ..... D25/119  
 D499,819 S \* 12/2004 Glatz ..... D25/164  
 D577,445 S \* 9/2008 Durrant ..... D25/164  
 D621,076 S \* 8/2010 Vibiano ..... D25/164  
 D621,245 S \* 8/2010 Heindl ..... D8/382  
 D622,579 S \* 8/2010 Heindl ..... D8/382  
 8,132,380 B2 \* 3/2012 Wilkes, Jr. .... E04B 1/6813  
 52/393  
 D664,669 S \* 7/2012 Schoonover ..... D25/121  
 D664,670 S \* 7/2012 Schoonover ..... D25/121  
 D696,795 S \* 12/2013 Mossman ..... D25/125  
 D767,980 S \* 10/2016 Bilge ..... D8/382  
 D791,353 S \* 7/2017 Singh ..... D25/119  
 D828,052 S \* 9/2018 Bouroullec ..... D6/580  
 D831,474 S \* 10/2018 Littrell ..... D8/382  
 10,132,091 B2 \* 11/2018 Wilkes, Jr. .... E02D 29/16  
 D860,087 S \* 9/2019 Schoonover ..... D12/190  
 D872,906 S \* 1/2020 Oetlinger ..... D25/199  
 2006/0283117 A1 \* 12/2006 Williams ..... E04F 13/0889  
 52/393  
 2011/0080017 A1 \* 4/2011 Olson ..... B60R 13/06  
 296/57.1  
 2015/0068128 A1 \* 3/2015 Baxter ..... B60R 13/06  
 49/480.1

\* cited by examiner




FIG - 1




FIG - 2




FIG - 3

FIG - 4





FIG - 5




FIG - 6




FIG - 7




FIG - 8




FIG - 9




FIG - 10




FIG - 11




FIG - 12




FIG - 13




FIG - 14




FIG - 15




FIG - 16