



US00D901793S

(12) **United States Design Patent** (10) **Patent No.:** **US D901,793 S**
Kim et al. (45) **Date of Patent:** **** Nov. 10, 2020**

(54) **DEHUMIDIFYING DEODORIZING AND WRINKLE-REDUCING MACHINE FOR CLOTHING**

2309/061; F25B 2313/0251; F25B 2339/044; F25B 2341/0662; F25B (Continued)

(71) Applicant: **LG Electronics Inc.**, Seoul (KR)
 (72) Inventors: **Myungshik Kim**, Seoul (KR); **Donghwan Lee**, Seoul (KR); **Junyi Heo**, Seoul (KR); **Sungkyong Han**, Seoul (KR); **Jeaseok Seong**, Seoul (KR)

(56) **References Cited**

U.S. PATENT DOCUMENTS

D191,951 S * 12/1961 Beduhn D32/10
 D659,917 S * 5/2012 Jeon D32/10
 (Continued)

Primary Examiner — Khawaja Anwar

(73) Assignee: **LG ELECTRONICS INC.**, Seoul (KR)

(74) *Attorney, Agent, or Firm* — Birch, Stewart, Kolasch & Birch, LLP

(**) Term: **15 Years**

(57) **CLAIM**

The ornamental design for a dehumidifying deodorizing and wrinkle-reducing machine for clothing, as shown and described.

(21) Appl. No.: **35/507,502**

(22) Filed: **Jan. 25, 2019**

DESCRIPTION

(80) **Hague Agreement Data**

Int. Filing Date: **Jan. 25, 2019**
 Int. Reg. No.: **DM/203161**
 Int. Reg. Date: **Jan. 25, 2019**
 Int. Reg. Pub. Date: **Oct. 11, 2019**

1. Dehumidifying, deodorizing and wrinkle-reducing machine for clothing
 1.1 : Perspective
 1.2 : Front
 1.3 : Back
 1.4 : Left
 1.5 : Right
 1.6 : Top
 1.7 : Bottom

(30) **Foreign Application Priority Data**

Jul. 26, 2018 (KR) 30-2018-0034767


(51) **LOC (12) Cl.** **32-01**

(52) **U.S. Cl.**
 USPC **D32/10**

(58) **Field of Classification Search**
 USPC D32/5-10; D15/79-91
 CPC F25B 49/02; F25B 49/022; F25B 13/00; F25B 2600/0253; F25B 2700/1931; F25B 2400/0403; F25B 25/005; F25B 2700/171; F25B 2700/2104; F25B 6/04; F25B 15/00; F25B 1/04; F25B 1/10; F25B 21/02; F25B 21/04; F25B

The broken lines depict portions of a dehumidifying, deodorizing and wrinkle-reducing machine for clothing that form no part of the claimed design; the fine lines on the drawings indicate the flat or curved surface or glass materials; reproduction 1.1 is a front perspective view of the dehumidifying, deodorizing and wrinkle-reducing machine for clothing; reproduction 1.2 is a front view thereof; reproduction 1.3 is a back view thereof; reproduction 1.4 is a left view thereof; reproduction 1.5 is a right view thereof; reproduction 1.6 is a top view thereof; reproduction 1.7 is a bottom view thereof; this is a design for dehumidifying, deodorizing and wrinkle-reducing machine for clothing in

(Continued)



which the door is vertically divided and a pants press is installed on the right part of the divided door in door-in-door form.

1 Claim, 7 Drawing Sheets

(58) Field of Classification Search

CPC 2400/0401; F25B 2400/0409; F25B 2400/0411; F25B 2400/0417; F25B 2400/0751; F25B 2400/22; F25B 2400/23; F25B 2500/12; F25B 2500/13; F25B 2500/19; F25B 2500/222; F25B 2500/27; F25B 2500/29; F25B 2600/01; F25B 2600/021; F25B 2600/0271; F25B 2600/0272; F25B 2600/11; F25B 2600/15; F25B 2600/2501; F25B 2600/2509; F25B 2600/2513; F25B 2600/2519; F25B 2700/1332; F25B 2700/172; F25B 2700/173; F25B 2700/1933; F25B 2700/21; F25B 2700/2106; F25B 2700/21151; F25B 2700/21152; F25B 2700/21153; F25B 2700/21163; F25B 29/003; F25B 29/006;

F25B 30/04; F25B 31/026; F25B 39/028; F25B 39/04; F25B 40/00; F25B 40/02; F25B 41/04; F25B 43/006; F25B 47/025; F25B 49/025; F25B 49/027; F25B 5/02; F25B 5/04; F25B 9/004; F25B 9/008; F26B 3/04; F26B 17/04; F26B 21/04; F26B 21/06; F26B 23/002; F26B 23/02; F26B 21/001; F26B 25/14; F26B 15/16; F26B 17/12; F26B 21/006; F26B 21/08; F26B 21/10; F26B 21/12; F26B 2200/08; F26B 2200/12; F26B 2210/12; F26B 25/22; F26B 3/06; F26B 9/066

See application file for complete search history.

(56)


References Cited

U.S. PATENT DOCUMENTS


D671,282 S * 11/2012 Jeon D32/10
D742,436 S * 11/2015 Park D15/91
D754,217 S * 4/2016 Choi D15/89
D755,261 S * 5/2016 Choi D15/89
D771,160 S * 11/2016 Park D15/91
D854,058 S * 7/2019 Jeon D15/91

* cited by examiner


1.1




1.2




1.3




1.4



1.5



1.6



1.7

