US00D901918S

(12) United States Design Patent

Lamanna

(10) Patent No.: US D901,918 S
(45) Date of Patent: ** Nov. 17, 2020

(54) **BUS SEAT**

(71) Applicant: **Newtl**, Duppigheim (FR)

(72) Inventor: **M. Franck Lamanna**, Marlenheim (FR)

(73) Assignee: **NEWTL**, Duppigheim (FR)

(**) Term: **15 Years**

(21) Appl. No.: **29/690,378**

(22) Filed: **May 7, 2019**

Related U.S. Application Data

(62) Division of application No. 29/616,049, filed on Sep. 1, 2017, now Pat. No. Des. 861,537.

(30) **Foreign Application Priority Data**

Mar. 2, 2017 (WO) DM/097494

(51) **LOC (12) Cl.** **06-01**

(52) **U.S. Cl.**
USPC **D6/356**

(58) **Field of Classification Search**
USPC D12/82, 84, 86, 92, 100; D6/334–336, D6/356, 364, 365, 374, 375, 376, 381, D6/500–502

(Continued)

(56) **References Cited**

U.S. PATENT DOCUMENTS

3,695,689 A * 10/1972 Barecki B60N 2/242 297/188.07
D233,918 S * 12/1974 Barecki D6/356

(Continued)

OTHER PUBLICATIONS

Design U.S. Appl. No. 29/624,451, filed Nov. 1, 2017 in the name of Newtl.

Primary Examiner — Darlington Ly
(74) *Attorney, Agent, or Firm* — Carter, Deluca & Farrell LLP

(57) **CLAIM**

The ornamental design for a bus seat, as shown and described.

DESCRIPTION

FIG. **1** is a front perspective detailed view of a double seat of a bus with the armrests in a horizontal position in accordance with the present design;
FIG. **2** is a front elevational view thereof;
FIG. **3** is a left side elevational view thereof;
FIG. **4** is a rear perspective view thereof;
FIG. **5** is a rear elevational view thereof;
FIG. **6** is a top plan view thereof;
FIG. **7** is a front perspective detailed view of a double seat of a bus with armrests in a low vertical position in accordance with the present design;
FIG. **8** is a front elevational view thereof;
FIG. **9** is a left side elevational view thereof;
FIG. **10** is a rear perspective view thereof;
FIG. **11** is a rear elevational view thereof;
FIG. **12** is a top plan view thereof;
FIG. **13** is a front perspective detailed view of a double seat of a bus with armrests in a high vertical position in accordance with the present design;
FIG. **14** is a front elevational view thereof;
FIG. **15** is a left side elevational view thereof;
FIG. **16** is a rear perspective view thereof;
FIG. **17** is a rear elevational view thereof;
FIG. **18** is a top plan view thereof;
FIG. **19** is a front perspective detailed view of a double seat of a bus in accordance with the present design;
FIG. **20** is a front elevational view thereof;
FIG. **21** is a left side elevational view thereof;
FIG. **22** is a rear perspective view thereof;
FIG. **23** is a rear elevational view thereof; and,
FIG. **24** is a top plan view thereof.

1 Claim, 24 Drawing Sheets



(58) **Field of Classification Search**
CPC . B64D 11/06; B64D 11/0649; B64D 11/0638; B64D 11/064; B60N 2/686; B60N 3/004; A47C 7/40
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D234,555	S	*	3/1975	Barecki	D6/356
D244,731	S	*	6/1977	James	D6/356
4,036,527	A	*	7/1977	Faul	B60N 2/242 297/452.39
D248,033	S		5/1978	James et al.	
4,186,964	A	*	2/1980	Marrujo	B64D 11/0646 297/411.45
D254,609	S		4/1980	Neal et al.	
D255,340	S		6/1980	Flesche	
D256,298	S	*	8/1980	Barecki	D6/356
D257,141	S		9/1980	Flesche	
D268,973	S	*	5/1983	White	D6/356
D268,997	S		5/1983	Dubernard	
D302,802	S		8/1989	Manning	
D305,623	S		1/1990	Gallitzendoerfer et al.	
D345,120	S		3/1994	Normand, Jr. et al.	
D376,562	S		12/1996	Sealy et al.	
5,655,816	A	*	8/1997	Magnuson	B60N 2/0292 297/232
5,669,307	A		9/1997	Cichy	
D428,276	S	*	7/2000	Mitjans	D6/336
D430,761	S	*	9/2000	Haney	D6/716.2
D441,210	S	*	5/2001	Mitjans	D6/368
D442,888	S		5/2001	Papke et al.	
6,273,510	B1	*	8/2001	Ehemann	B60N 2/68 248/346.03
D467,088	S	*	12/2002	Haney	D6/356
D467,743	S	*	12/2002	Haney	D6/356
D480,569	S	*	10/2003	Haney	D6/356
D484,323	S	*	12/2003	Haney	D6/356
D503,126	S		3/2005	Papke et al.	
D521,756	S	*	5/2006	Moffa	D6/356
D531,933	S		11/2006	Delamour	
D537,755	S		3/2007	Toth	
7,252,340	B2	*	8/2007	Johnson	B64D 11/00151 297/452.29
D557,911	S	*	12/2007	Herold, III	D6/356
D582,834	S	*	12/2008	Daneault	D12/400
7,458,643	B2	*	12/2008	Johnson	B64D 11/0649 297/411.32
D617,236	S		6/2010	Counts	
D637,520	S		5/2011	Kerr et al.	
D642,092	S		7/2011	Wiens et al.	
8,020,936	B2	*	9/2011	Asami	B64D 11/06 297/440.11
D672,979	S	*	12/2012	Szyma ski	D6/356
D675,837	S	*	2/2013	Szyma ski	D6/356
D675,838	S	*	2/2013	Szyma ski	D6/356
D704,595	S		5/2014	Streicher et al.	
D714,187	S		9/2014	Lian et al.	
D717,210	S		11/2014	Wang et al.	
D718,659	S		12/2014	Lin et al.	
D721,297	S		1/2015	Zhang et al.	
D721,298	S		1/2015	Li et al.	
2009/0224570	A1		9/2009	Haswell et al.	
2012/0161469	A1		6/2012	Kerr et al.	

* cited by examiner

FIG. 1



FIG. 2



FIG. 3



FIG. 4

FIG. 5



FIG. 6

FIG. 7



FIG. 8



FIG. 9

FIG. 10



FIG. 11



FIG. 12



FIG. 13

FIG. 14



FIG. 15



FIG. 16

FIG. 17



FIG. 18

FIG. 19



FIG. 20



FIG. 21



FIG. 22



FIG. 23



FIG. 24