



US00D901919S

(12) **United States Design Patent** (10) **Patent No.:** **US D901,919 S**  
**Lamanna** (45) **Date of Patent:** **\*\* Nov. 17, 2020**

(54) **INFORMATION SIGNAGE WITH ARMREST**

- (71) Applicant: **Newtl**, Duppigheim (FR)
- (72) Inventor: **M. Franck Lamanna**, Marlenheim (FR)
- (73) Assignee: **NEWTL**, Duppigheim (FR)
- (\*\*) Term: **15 Years**
- (21) Appl. No.: **29/690,440**
- (22) Filed: **May 8, 2019**

**Related U.S. Application Data**

- (62) Division of application No. 29/616,049, filed on Sep. 1, 2017, now Pat. No. Des. 861,537.

**Foreign Application Priority Data**

Mar. 2, 2017 (WO) ..... DM/097494

- (51) **LOC (12) Cl.** ..... **06-01**
- (52) **U.S. Cl.**  
USPC ..... **D6/356**

(58) **Field of Classification Search**

USPC ..... D12/82, 84, 86, 92, 100; D6/334-336,  
D6/356, 364, 365, 374, 375, 376, 381,  
D6/500-502

(Continued)

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

- 3,695,689 A \* 10/1972 Barecki ..... B60N 2/242  
297/188.07
- D233,918 S \* 12/1974 Barecki ..... D6/356  
(Continued)

**OTHER PUBLICATIONS**

Design U.S. Appl. No. 29/624,451, filed Nov. 1, 2017 in the name of Newtl.

*Primary Examiner* — Darlington Ly  
(74) *Attorney, Agent, or Firm* — Carter, Deluca & Farrell LLP

(57) **CLAIM**

The ornamental design for an information signage with armrest, as shown and described.

**DESCRIPTION**

FIG. 1 is a front perspective detailed view of a device with information signage with armrest in a horizontal position and information sign to accommodate persons with reduced mobility in a bus in accordance with the present design; FIG. 2 is a front elevational view thereof; FIG. 3 is left side elevational view thereof; FIG. 4 is rear perspective view thereof; FIG. 5 is a rear elevational view thereof; FIG. 6 is a top plan view thereof; FIG. 7 is a front perspective detailed view of a device with information signage with armrest in a low vertical position and information sign to accommodate persons with reduced mobility in a bus in accordance with the present design; FIG. 8 is a front elevational view thereof; FIG. 9 is left side elevational view thereof; FIG. 10 is rear perspective view thereof; FIG. 11 is a rear elevational view thereof; FIG. 12 is a top plan view thereof; FIG. 13 is a front perspective detailed view of a device with information signage with armrest in high vertical position and information sign to accommodate persons with reduced mobility in a bus in accordance with the present design; FIG. 14 is a front elevational view thereof; FIG. 15 is left side elevational view thereof; FIG. 16 is rear perspective view thereof; FIG. 17 is a rear elevational view thereof; and, FIG. 18 is a top plan view thereof.

**1 Claim, 18 Drawing Sheets**



# US D901,919 S

Page 2

(58) **Field of Classification Search**

CPC . B64D 11/06; B64D 11/0649; B64D 11/0638;  
B64D 11/064; B60N 2/686; B60N 3/004;  
A47C 7/40

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D234,555 S \* 3/1975 Barecki ..... D6/356  
D244,731 S \* 6/1977 James ..... D6/356  
4,036,527 A \* 7/1977 Faul ..... B60N 2/242  
297/452.39  
D248,033 S 5/1978 James et al.  
4,186,964 A \* 2/1980 Marrujo ..... B64D 11/0646  
297/411.45  
D254,609 S 4/1980 Neal et al.  
D255,340 S 6/1980 Flesche  
D256,298 S \* 8/1980 Barecki ..... D6/356  
D257,141 S 9/1980 Flesche  
D268,973 S \* 5/1983 White ..... D6/356  
D268,997 S 5/1983 Dubernard  
D302,802 S 8/1989 Manning  
D305,623 S 1/1990 Gallitzendoerfer et al.  
D345,120 S 3/1994 Normand, Jr. et al.  
D376,562 S 12/1996 Sealy et al.  
5,655,816 A \* 8/1997 Magnuson ..... B60N 2/0292  
297/232  
5,669,307 A 9/1997 Cichy  
D428,276 S \* 7/2000 Mitjans ..... D6/336  
D430,761 S \* 9/2000 Haney ..... D6/716.2  
D441,210 S \* 5/2001 Mitjans ..... D6/368

D442,888 S 5/2001 Papke et al.  
6,273,510 B1 \* 8/2001 Ehemann ..... B60N 2/68  
248/346.03  
D467,088 S \* 12/2002 Haney ..... D6/356  
D467,743 S \* 12/2002 Haney ..... D6/356  
D480,569 S \* 10/2003 Haney ..... D6/356  
D484,323 S \* 12/2003 Haney ..... D6/356  
D503,126 S 3/2005 Papke et al.  
D521,756 S \* 5/2006 Moffa ..... D6/356  
D531,933 S 11/2006 Delamour  
D537,755 S 3/2007 Toth  
7,252,340 B2 \* 8/2007 Johnson ..... B64D 11/00151  
297/452.29  
D557,911 S \* 12/2007 Herold, III ..... D6/356  
D582,834 S \* 12/2008 Daneault ..... D12/400  
7,458,643 B2 \* 12/2008 Johnson ..... B64D 11/0649  
297/411.32  
D617,236 S 6/2010 Counts  
D637,520 S 5/2011 Kerr et al.  
D642,092 S 7/2011 Wiens et al.  
8,020,936 B2 \* 9/2011 Asami ..... B64D 11/06  
297/440.11  
D672,979 S \* 12/2012 Szyma ski ..... D6/356  
D675,837 S \* 2/2013 Szyma ski ..... D6/356  
D675,838 S \* 2/2013 Szyma ski ..... D6/356  
D704,595 S 5/2014 Streicher et al.  
D714,187 S 9/2014 Lian et al.  
D717,210 S 11/2014 Wang et al.  
D718,659 S 12/2014 Lin et al.  
D721,297 S 1/2015 Zhang et al.  
D721,298 S 1/2015 Li et al.  
2009/0224570 A1 9/2009 Haswell et al.  
2012/0161469 A1 6/2012 Kerr et al.

\* cited by examiner



FIG. 1



FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6






FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12



FIG. 13



FIG. 14






FIG. 15




FIG. 16




FIG. 17




FIG. 18