



US00D902270S

(12) **United States Design Patent**
Shepard et al.

(10) **Patent No.:** **US D902,270 S**

(45) **Date of Patent:** **** Nov. 17, 2020**

(54) **MULTI-SLOTTED LOCATOR BUSHING**

D824,967 S * 8/2018 Getto D15/143
D861,756 S * 10/2019 Pop D15/143
D892,958 S * 8/2020 Piper D21/779

(71) Applicant: **CARR LANE MANUFACTURING CO.**, St. Louis, MO (US)

(72) Inventors: **Nancy Jerrell Ruth Shepard**, St. Peters, MO (US); **Joshua Matthew Herschbach**, Highland, IL (US); **Colin Walker Frost**, St. Louis, MO (US)

(73) Assignee: **CARR LANE MANUFACTURING CO.**, St. Louis, MO (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/703,206**

(22) Filed: **Aug. 26, 2019**

(51) **LOC (12) Cl.** **15-09**

(52) **U.S. Cl.**
USPC **D15/143**

(58) **Field of Classification Search**
USPC D8/350, 352, 353, 356; D15/5, 138, 143
CPC F16B 19/02; F16B 5/0208; F16B 5/0225
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D184,667 S * 3/1959 Curtiss D13/155
3,509,618 A * 5/1970 Siler F16B 19/02
29/467
D227,397 S * 6/1973 Steinke D15/143
D408,790 S * 4/1999 Kiely D8/356
D506,382 S * 6/2005 McIntosh D8/352
D733,558 S * 7/2015 Wyne D9/436
D775,710 S * 1/2017 Kim D22/137
D802,033 S * 11/2017 Waterman D15/143
D808,778 S * 1/2018 Smeja H02J 7/0042
D8/356

OTHER PUBLICATIONS

Carr Lane Manufacturing Co. webpage, "Slotted Locator Bushings," <https://www.carllane.com/en-us/product/alignment-pins/slotted-locator-bushings/slotted-locator-bushings>, printed on Nov. 14, 2019 (3 pages).

Carr Lane Manufacturing Co. webpage, "Headed Slotted Locator Bushings," <https://www.carllane.com/en-us/product/alignment-pins/slotted-locator-bushings/headed-slotted-locator-bushings>, printed on Nov. 14, 2019 (2 pages).

* cited by examiner

Primary Examiner — Michael C Stout

Assistant Examiner — Fritzgerald L Butac

(74) *Attorney, Agent, or Firm* — Lewis Rice LLC

(57) **CLAIM**

The ornamental design for a multi-slotted locator bushing, as shown and described.

DESCRIPTION

FIG. 1 provides a top right perspective view of a multi-slotted locator bushing.

FIG. 2 provides a right side view thereof.

FIG. 3 provides a left side view thereof.

FIG. 4 provides a front view thereof, the back view being the same as the right view.


FIG. 5 provides a top view thereof.

FIG. 6 provides a bottom view thereof; and,

FIG. 7 provides a bottom left perspective view thereof.

The broken lines shown in the drawings are included for the purpose of illustrating environmental structure and form no part of the claimed design.

1 Claim, 7 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7