



US00D902305S

(12) **United States Design Patent**
Katami et al.

(10) **Patent No.:** **US D902,305 S**

(45) **Date of Patent:** **** Nov. 17, 2020**

(54) **CORRECTION TAPE DISPENSER**

(71) Applicant: **Tombow Pencil Co., Ltd.**, Tokyo (JP)

(72) Inventors: **Kazunori Katami**, Tokyo (JP);
Hikomichi Fujisawa, Toyokawa (JP)

(73) Assignee: **Tombow Pencil Co., Ltd.**, Tokyo (JP)

(**) Term: **15 Years**

(21) Appl. No.: **29/714,443**

(22) Filed: **Nov. 22, 2019**

Related U.S. Application Data

(62) Division of application No. 29/654,046, filed on Jun. 20, 2018, now Pat. No. Des. 880,586.

(30) **Foreign Application Priority Data**

Dec. 21, 2017 (JP) 2017-028496
Dec. 21, 2017 (JP) 2017-028497

(51) **LOC (12) Cl.** **19-02**

(52) **U.S. Cl.**
USPC **D19/67**

(58) **Field of Classification Search**
USPC D19/65-71, 75, 77, 85, 99, 100
CPC B65H 35/0026; B65H 35/0033; B65H
35/0073; B65H 37/005; B65H 37/007
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

2,741,220 A * 4/1956 Belisle E04F 21/165
118/405
4,330,357 A * 5/1982 Collins B65H 35/0033
156/540
D311,874 S * 11/1990 Ingram, II D10/72
D328,097 S * 7/1992 Czech D19/67

D348,691 S * 7/1994 Bell D10/72
D365,852 S * 1/1996 Parsey D19/67
D368,115 S * 3/1996 Kouda D10/72
5,792,263 A * 8/1998 Koyama B65H 37/007
118/200
D400,585 S * 11/1998 Fritz D19/69
D407,438 S * 3/1999 Kelders D19/67
D410,955 S * 6/1999 Hoffmann D19/67
D421,060 S * 2/2000 Kelders D19/67
D421,461 S * 3/2000 Kelders D19/67
D424,619 S * 5/2000 Katami D19/67
D438,567 S * 3/2001 Van Den Berg D19/67
D448,416 S * 9/2001 Kimura D19/67
D457,564 S * 5/2002 Kimura D19/69
D465,241 S * 11/2002 Suzuki D19/67
D466,938 S * 12/2002 Lee D19/67
D466,939 S * 12/2002 Lee D19/67
6,500,259 B1 * 12/2002 Tamai B65H 37/007
118/106

(Continued)

Primary Examiner — Elizabeth A. Albert

(74) *Attorney, Agent, or Firm* — Kolitch Romano LLP



(57) **CLAIM**

The ornamental design for a correction tape dispenser, as shown and described.

DESCRIPTION

FIG. 1 is an upper, front, and left side perspective view of a correction tape dispenser showing the new design;
FIG. 2 is a lower, front, and left side perspective view thereof;
FIG. 3 is a front elevation view thereof;
FIG. 4 is a rear elevation view thereof;
FIG. 5 is a left side elevation view thereof;
FIG. 6 is a right side elevation view thereof;
FIG. 7 is a top plan view thereof;
FIG. 8 is a bottom plan view thereof; and,
FIG. 9 is an upper, front, and left side perspective view thereof, showing the cover opened.

1 Claim, 4 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D469,124 S * 1/2003 Koreska D19/69
 D475,746 S * 6/2003 Ono D19/67
 6,684,924 B1 * 2/2004 Kelders B65H 35/0033
 156/523
 D492,355 S * 6/2004 Suzuki D19/67
 6,761,200 B2 * 7/2004 Shinya B65H 37/007
 118/257
 6,976,652 B2 * 12/2005 Koreska B65H 37/007
 156/579
 D515,136 S * 2/2006 Herrmannsen D19/69
 D518,854 S * 4/2006 Paulus D19/69
 D541,863 S * 5/2007 Gerules D19/69
 D543,242 S * 5/2007 Rushe D19/69
 D570,918 S * 6/2008 Rushe D19/69
 D574,892 S * 8/2008 Kouda D19/69
 D579,499 S * 10/2008 Rushe D19/69
 D580,984 S * 11/2008 Kouda D19/69

D588,645 S * 3/2009 Burton D19/69
 D594,906 S * 6/2009 Ariga D19/69
 D594,907 S * 6/2009 Ariga D19/69
 D600,751 S * 9/2009 Gallay D19/69
 D601,630 S * 10/2009 Wu D19/69
 7,793,883 B2 * 9/2010 Kinugasa B65H 37/007
 242/588.6
 D634,784 S * 3/2011 Trotter D19/69
 D640,322 S * 6/2011 Kouda D19/69
 D640,742 S * 6/2011 Booty, Jr. D19/69
 D647,139 S * 10/2011 Quah D19/69
 8,746,313 B2 * 6/2014 Kropp B65H 37/007
 156/540
 D709,947 S * 7/2014 Broen D19/69
 D783,899 S * 4/2017 Roh D28/36
 10,029,843 B2 * 7/2018 Roh B65H 37/005
 10,150,640 B2 * 12/2018 Kobashi B05C 17/0202
 2010/0071853 A1 * 3/2010 Wu B65H 37/007
 156/538

* cited by examiner




Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7




Fig. 8




Fig. 9