



US00D902554S

(12) **United States Design Patent**
Beckett

(10) **Patent No.:** **US D902,554 S**

(45) **Date of Patent:** **** Nov. 24, 2020**

(54) **SHOE UPPER**

(71) Applicant: **IMPO INTERNATIONAL LLC**,
Santa Maria, CA (US)

(72) Inventor: **H. Rodney Beckett**, Pismo Beach, CA
(US)

(73) Assignee: **IMPO INTERNATIONAL LLC**,
Santa Maria, CA (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/691,013**

(22) Filed: **May 13, 2019**

(51) **LOC (12) Cl.** **02-04**

(52) **U.S. Cl.**
USPC **D2/971**; D2/916; D2/925

(58) **Field of Classification Search**
USPC D2/896-900, 916-918, 925-943, 969,
D2/971
CPC A43B 3/122; A43B 5/12; A43B 3/126;
A43B 23/24; A43B 3/28; A43B 3/102;
A43B 1/04

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

| | | | |
|-------------|---------|--------------|--------------|
| D35,490 S | 12/1901 | Hatheway | |
| 1,463,672 A | 7/1923 | Carrington | |
| D62,905 S * | 8/1923 | Hamilton | D2/916 |
| D83,963 S | 4/1931 | Gilbert | |
| D86,393 S | 3/1932 | Miller | |
| D87,274 S | 6/1932 | Meyer et al. | |
| 1,864,254 A | 6/1932 | Meyer | |
| D93,707 S | 10/1934 | Elkin | |
| D94,034 S | 12/1934 | Koomruian | |
| D94,274 S | 1/1935 | Levine | |
| D95,540 S | 5/1935 | Perugia | |
| D99,809 S | 5/1936 | Hyatt | |

| | | |
|-------------|---------|-----------|
| D99,830 S | 5/1936 | Shapiro |
| D102,625 S | 1/1937 | Turiansky |
| 2,090,675 A | 8/1937 | Hadaway |
| D106,077 S | 9/1937 | Wolock |
| D110,079 S | 6/1938 | Wood |
| D118,617 S | 1/1940 | Delman |
| D127,110 S | 5/1941 | Grossman |
| D129,593 S | 9/1941 | Maling |
| D130,856 S | 12/1941 | Sobel |
| D131,160 S | 1/1942 | Grossmann |
| D131,839 S | 3/1942 | Elkin |
| D136,408 S | 9/1943 | Gleason |

(Continued)

OTHER PUBLICATIONS

Design U.S. Appl. No. 29/649,389, filed May 29, 2018.

Primary Examiner — Rashida C. Walshon

(74) *Attorney, Agent, or Firm* — Lewis Roca Rothgerber
Christie LLP

(57) **CLAIM**


The ornamental design for shoe upper, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a shoe upper according to the present invention;
FIG. 2 is a right side view of the shoe upper according to FIG. 1;
FIG. 3 is a left side view of the shoe upper according to FIG. 1;
FIG. 4 is a top view of the shoe upper according to FIG. 1;
FIG. 5 is a rear view of the shoe upper according to FIG. 1;
and,
FIG. 6 is a front view of the shoe upper according to FIG. 1.

Environmental features shown in broken lines are for illustrative purposes only and form no part of the claimed design.

1 Claim, 5 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

| | | | | | | | |
|-------------|---------|----------------------|--------|------------|---------|----------------------------|--------|
| 2,367,092 A | 1/1945 | Blotner | | D601,787 S | 10/2009 | Guers-Neyraud | |
| D142,506 S | * | 10/1945 Wolock | D2/916 | D604,492 S | 11/2009 | Issler | |
| 2,390,685 A | 12/1945 | Benson | | D604,493 S | 11/2009 | Issler | |
| D158,331 S | 4/1950 | Sandler | | D604,936 S | 12/2009 | Guers-Neyraud | |
| D158,395 S | 5/1950 | Liberty | | D622,045 S | 8/2010 | Issler | |
| D158,653 S | 5/1950 | Fenlason | | D632,060 S | 2/2011 | Kieler | |
| D190,163 S | 4/1961 | Lacek et al. | | D647,691 S | 11/2011 | Beckett | |
| D279,422 S | * | 7/1985 Foldes | D2/927 | D656,725 S | 4/2012 | Issler | |
| D293,963 S | 2/1988 | Maciel | | D672,121 S | 12/2012 | Beckett | |
| D300,781 S | 4/1989 | Finn | | D672,122 S | 12/2012 | Beckett | |
| D304,126 S | 10/1989 | Christian et al. | | D673,764 S | 1/2013 | Weitzman | |
| D371,897 S | 7/1996 | Bishop | | D701,685 S | * | 4/2014 LaRusso | D2/971 |
| D418,280 S | 1/2000 | Kieler | | D701,687 S | * | 4/2014 Guers-Neyraud | D2/971 |
| D437,475 S | 2/2001 | Kieler | | D711,075 S | 8/2014 | Issler | |
| D456,123 S | 4/2002 | Powell | | D719,323 S | 12/2014 | Santos | |
| D487,183 S | 3/2004 | Cumeau | | D730,029 S | 5/2015 | Issler | |
| D489,517 S | 5/2004 | Comeau | | D734,016 S | 7/2015 | Beckett | |
| D527,880 S | 9/2006 | Choi | | D760,485 S | 7/2016 | Issler | |
| D530,489 S | 10/2006 | Comeau | | D761,546 S | 7/2016 | Issler | |
| D536,520 S | * | 2/2007 Kelsey | D2/971 | D813,514 S | * | 3/2018 McClaskie | D2/971 |
| D536,863 S | 2/2007 | Choi | | D814,166 S | 4/2018 | Beckett | |
| D560,344 S | * | 1/2008 Belley | D2/916 | D816,967 S | 5/2018 | Beckett | |
| D599,096 S | 9/2009 | Issler | | D833,727 S | 11/2018 | Beckett | |
| D599,098 S | 9/2009 | Issler | | D833,728 S | 11/2018 | Beckett | |
| D599,541 S | 9/2009 | Issler | | D834,296 S | 11/2018 | Beckett | |
| | | | | D885,738 S | * | 6/2020 Beckett | D2/971 |
| | | | | D894,545 S | * | 9/2020 Sherman | D2/917 |

* cited by examiner

FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 6




FIG. 5

