



US00D902591S

(12) **United States Design Patent** (10) **Patent No.:** **US D902,591 S**  
**Gouttebel et al.** (45) **Date of Patent:** **\*\* Nov. 24, 2020**

(54) **CARRYALL**  
(71) Applicant: **Cuyana, Inc.**, San Francisco, CA (US)  
(72) Inventors: **Laurence Gouttebel**, San Francisco, CA (US); **Rebecca Flato**, San Francisco, CA (US)  
(73) Assignee: **Cuyana, Inc.**, San Francisco, CA (US)  
(\*\*) Term: **15 Years**  
(21) Appl. No.: **29/725,440**  
(22) Filed: **Feb. 25, 2020**  
(51) **LOC (12) Cl.** ..... **03-01**  
(52) **U.S. Cl.**  
USPC ..... **D3/303**  
(58) **Field of Classification Search**  
USPC ..... D3/201, 205, 242, 273, 274, 275, 276,  
D3/279, 281, 282, 283, 284, 289, 292,  
D3/294, 295, 296, 297, 299, 301, 302,  
D3/901, 903, 905  
CPC ..... A45C 5/04; A45C 11/00; A45C 11/16  
See application file for complete search history.

*Primary Examiner* — Holly E Thurman  
(74) *Attorney, Agent, or Firm* — Barnes & Thornburg LLP

(57) **CLAIM**

The ornamental design for a carryall, as shown and described.

**DESCRIPTION**

FIG. 1 is a front perspective view of the carryall design in a closed position;  
FIG. 2 is a front view of the carryall design in the closed position;  
FIG. 3 is a rear view of the carryall design in the closed position;  
FIG. 4 is a right-side view of the carryall design in the closed position;  
FIG. 5 is a left-side view of the carryall design in the closed position;  
FIG. 6 is a top view of the carryall design in the closed position;  
FIG. 7 is a bottom view of the carryall design in the closed position;  
FIG. 8 is a front perspective view of the carryall design of FIG. 1 in an open position;  
FIG. 9 is a front view of the carryall design in the open position;  
FIG. 10 is a rear view of the carryall design in the open position;  
FIG. 11 is a right-side view of the carryall design in the open position;  
FIG. 12 is a left-side view of the carryall design in the open position;  
FIG. 13 is a top view of the carryall design in the open position; and,  
FIG. 14 is a bottom view of the carryall design in the open position.  
The broken lines show stitching and a zipper and represent unclaimed subject matter and form no part of the claim.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**


2,175,327	A	10/1939	Thornhill et al.	
D266,201	S *	9/1982	Berman	224/240
D279,233	S *	6/1985	Feingold	D6/629
D314,587	S	2/1991	Young	
D646,892	S *	10/2011	Littleton	D3/299
D660,592	S *	5/2012	Mecchella	D3/299
D691,805	S	10/2013	Chang	
D692,237	S	10/2013	Chang	
D872,481	S *	1/2020	Brundage	D3/303


**FOREIGN PATENT DOCUMENTS**

DE	9115818	U1	5/1992
KR	200463950	Y1	12/2012


\* cited by examiner

**1 Claim, 10 Drawing Sheets**






*FIG. 1*



*FIG. 2*



*FIG. 3*




FIG. 5







FIG. 4




*FIG. 6*



*FIG. 7*




*FIG. 8*




*FIG. 9*







*FIG. 10*




*FIG. 11*



*FIG. 12*



*FIG. 13*



*FIG. 14*