



US00D902643S

(12) **United States Design Patent**  
**Park et al.**

(10) **Patent No.:** **US D902,643 S**

(45) **Date of Patent:** **\*\* Nov. 24, 2020**

(54) **STOPPER FOR BEVERAGE BOTTLE**

(71) Applicants: **Jennifer Bae Park**, Chicago, IL (US);  
**Marvin Lane**, Wheeling, IL (US);  
**Dwayne Boroski**, Lake in the Hills, IL (US)

(72) Inventors: **Jennifer Bae Park**, Chicago, IL (US);  
**Marvin Lane**, Wheeling, IL (US);  
**Dwayne Boroski**, Lake in the Hills, IL (US)

(73) Assignee: **Thermos L.L.C.**, Schaumburg, IL (US)

(\*\*) Term: **15 Years**

(21) Appl. No.: **29/656,717**

(22) Filed: **Jul. 16, 2018**

(51) **LOC (12) Cl.** ..... **07-02**

(52) **U.S. Cl.**  
USPC ..... **D7/391**

(58) **Field of Classification Search**

USPC ..... D7/391, 392, 392.1, 393, 397, 629;  
D9/414, 424-432, 435, 439, 443,  
D9/451-453

CPC ..... A47J 36/027; A47J 36/06; A47J 37/10;  
A47J 37/101; B65D 21/0209; B65D  
43/00; B65D 43/02; B65D 43/022; B65D  
43/161; B65D 43/162; B65D 45/00;  
B65D 45/16; B65D 45/18; B65D  
39/0017; B65D 51/16; B65D 51/1683;  
B65D 51/1688; B65D 51/1694; B65F  
1/1615

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D219,806 S \* 2/1971 Coleman ..... D9/439  
3,716,163 A \* 2/1973 Marcel ..... B65D 39/0017  
215/320

D375,019 S \* 10/1996 Goto ..... D7/392.1  
D381,243 S \* 7/1997 Goto ..... D7/392  
D562,462 S \* 2/2008 Muir ..... D24/224  
D587,580 S \* 3/2009 Kane ..... D9/453  
D604,120 S \* 11/2009 Curtin ..... D7/629  
D621,707 S \* 8/2010 Breckan ..... D9/443  
D632,958 S \* 2/2011 Fuchs ..... D9/453  
D634,200 S \* 3/2011 Taber ..... D9/453  
D723,919 S \* 3/2015 Taber ..... D9/453  
D778,724 S \* 2/2017 Martini ..... D9/443  
D783,402 S \* 4/2017 Martini ..... D9/452

\* cited by examiner

*Primary Examiner* — Ricky Pham

(74) *Attorney, Agent, or Firm* — Polsinelli PC


(57) **CLAIM**

The ornamental design for a stopper for beverage bottle, as shown and described.

**DESCRIPTION**

FIG. 1 is an upper perspective view of the stopper for beverage bottle;  
FIG. 2 is a lower perspective view of the stopper for beverage bottle;  
FIG. 3 is a front view of the stopper for beverage bottle;  
FIG. 4 is a rear view of the stopper for beverage bottle;  
FIG. 5 is a right side view of the stopper for beverage bottle;  
FIG. 6 is a left side view of the stopper for beverage bottle;  
FIG. 7 is a top view of the stopper for beverage bottle; and,  
FIG. 8 is a bottom view of the stopper for beverage bottle.  
The broken lines showing in the figures are included for the purpose of illustrating portions of the stopper for beverage bottle that form no part of the claimed design.

**1 Claim, 4 Drawing Sheets**






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8