

US00D902960S

(12) **United States Design Patent** (10) **Patent No.:** **US D902,960 S**
Marini (45) **Date of Patent:** **** Nov. 24, 2020**

(54) **TIRE SEALING AND INFLATION DEVICE**

(71) Applicant: **TEK GLOBAL S.R.L.**, Pesaro (PU)
(IT)

(72) Inventor: **Maurizio Marini**, Pesaro (IT)

(73) Assignee: **TEK GLOBAL S.R.L.**, Pesaro (IT)

(**) Term: **15 Years**

(21) Appl. No.: **35/506,864**

(22) Filed: **Nov. 30, 2018**

(80) **Hague Agreement Data**

Int. Filing Date: **Nov. 30, 2018**

Int. Reg. No.: **DM/201117**

Int. Reg. Date: **Nov. 30, 2018**

Int. Reg. Pub. Date: **May 31, 2019**

(51) **LOC (12) Cl.** **15-02**

(52) **U.S. Cl.**
USPC **D15/7**
CPC **F02M 37/04** (2013.01)

(58) **Field of Classification Search**

USPC D15/7-9; D23/231, 232, 225;
417/355-363, 410.1, 411, 416, 405, 900,
417/269, 539; 60/408, 412; 184/26-37;
415/140-147; 123/495, 509; 137/565.34
CPC F02M 37/04; F02M 37/14; F04B 53/92;
F04B 1/005; F04D 13/06; F04D 29/22;
F04D 29/046; F04D 29/2266
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

4,187,058 A * 2/1980 Fish B60C 23/10
141/98
4,389,166 A * 6/1983 Harvey F04B 35/04
417/234
D278,244 S * 4/1985 Boetger D15/7
D362,669 S * 9/1995 Conroy D15/7

D400,892 S * 11/1998 Williams D15/9
D405,097 S * 2/1999 Wong D15/7
D415,500 S * 10/1999 Poon D15/7
D451,521 S * 12/2001 Poon D15/7
D464,976 S * 10/2002 Krieger D15/9
D467,941 S * 12/2002 Duncan D15/7
D467,942 S * 12/2002 Duncan D15/7
D470,863 S * 2/2003 Williams D15/7
D487,899 S * 3/2004 Poon D15/7
D507,799 S * 7/2005 Chen D15/7
D510,939 S * 10/2005 Nikolayev D15/9
D558,795 S * 1/2008 Saunders D15/7
D559,866 S * 1/2008 Saunders D15/7
D647,924 S * 11/2011 Upham D15/7
D656,962 S * 4/2012 Boldsen D15/7
D670,313 S * 11/2012 Ohm D15/7
D671,560 S * 11/2012 Ohm D15/7
D679,291 S * 4/2013 Ohm D15/7
D694,267 S * 11/2013 Ohm D15/7
D694,268 S * 11/2013 Ohm D15/7
D764,551 S * 8/2016 Fowler D15/7
D771,718 S * 11/2016 Liao D15/7
D800,788 S * 10/2017 Petersen D15/7

(Continued)

Primary Examiner — Richard E Chilcot

(74) Attorney, Agent, or Firm — Leason Ellis LLP

(57) **CLAIM**


The ornamental design for the tire sealing and inflation devices, as shown and described.

DESCRIPTION

FIG. 1.1 is a top perspective view;
FIG. 1.2 is a right side elevation view;
FIG. 1.3 is a left side elevation view
FIG. 1.4 is a front elevation view;
FIG. 1.5 is a rear elevation view;
FIG. 1.6 is a top plan view; and
FIG. 1.7 is a bottom plan view.

The present application relates to tire sealing and inflation devices in which the broken line shown is for the purpose of illustrating portions which forms no part of the claimed design.

1 Claim, 7 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D805,108 S *	12/2017	Zhang	D15/7
D805,109 S *	12/2017	Exley	D15/7
D807,403 S *	1/2018	Lam	D15/7
D814,524 S *	4/2018	Costle	D15/7
D817,364 S *	5/2018	He	D15/7
D823,344 S *	7/2018	Malcolm	D15/7
D823,346 S *	7/2018	Petersen	D15/7
D838,746 S *	1/2019	Gan	D15/7
D873,863 S *	1/2020	Marini	D15/7
2018/0126963 A1 *	5/2018	Kobler	B60S 5/043

* cited by examiner




FIG. 1.1




FIG. 1.2




FIG. 1.3




FIG. 1.4




FIG. 1.5




FIG. 1.6




FIG. 1.7