



US00D903017S

(12) **United States Design Patent**
Belveal

(10) **Patent No.:** **US D903,017 S**

(45) **Date of Patent:** **** Nov. 24, 2020**

- (54) **EXERCISE DEVICE**
- (71) Applicant: **Ken Belveal**, Katy, TX (US)
- (72) Inventor: **Ken Belveal**, Katy, TX (US)
- (**) Term: **15 Years**
- (21) Appl. No.: **29/675,419**
- (22) Filed: **Jan. 1, 2019**

5,813,955 A * 9/1998 Gutkowski A63B 21/0004
482/121
D399,272 S * 10/1998 Zwonitzer D21/683
D410,330 S * 6/1999 Klein D3/221

(Continued)

Primary Examiner — Michael C Stout
Assistant Examiner — Melvin L Davis
 (74) *Attorney, Agent, or Firm* — Pierson Intellectual Property LLC

(57) **CLAIM**

The ornamental design for an exercise device, as shown and described.

Related U.S. Application Data

- (63) Continuation-in-part of application No. 14/874,406, filed on Oct. 3, 2015, now Pat. No. 10,207,141.
- (51) **LOC (12) Cl.** **21-02**
- (52) **U.S. Cl.**
USPC **D21/662**
- (58) **Field of Classification Search**
USPC D21/662, 683–685, 692, 694; D8/333;
D29/120.2
CPC A63B 21/0552; A63B 21/1645; A63B
21/169
See application file for complete search history.

DESCRIPTION


FIG. 1 is a perspective view of a perspective view of an exercise device showing our new design thereof; FIG. 2 is a front view of the exercise device shown in FIG. 1; FIG. 3 is a back view of the exercise device shown in FIG. 1; FIG. 4 is a first side view of the exercise device shown in FIG. 1; FIG. 5 is a second side view of the exercise device shown in FIG. 1; FIG. 6 is a top view of the exercise device shown in FIG. 1; FIG. 7 is a bottom view of the exercise device shown in FIG. 1; FIG. 8 is a front view of the exercise device shown in FIG. 1 while in use; FIG. 9 is a front view of the exercise device shown in FIG. 1 while in use; and, FIG. 10 is a front view of the exercise device shown in FIG. 1 while in use. The showing of evenly broken lines in FIGS. 8, 9, & 10 of a person is included for the purpose of illustrating environmental structures and forms no part of the claimed design. The broken line box shown in FIGS. 3 & 10 represents stitching the forms part of the claimed design line.

(56) **References Cited**

U.S. PATENT DOCUMENTS

- 4,441,707 A * 4/1984 Bosch A63B 21/151
482/131
- 4,540,173 A * 9/1985 Hopkins, Jr. A63B 21/0552
482/124
- 5,176,377 A * 1/1993 Wilkinson A63B 21/00069
482/114
- D353,172 S * 12/1994 Gaut D21/692
- 5,411,461 A * 5/1995 Thomascik A63C 3/00
280/1.5
- 5,433,688 A * 7/1995 Davies A63B 21/0552
482/124
- D390,896 S * 2/1998 Stalnaker D21/662

1 Claim, 7 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

6,537,160 B2 * 3/2003 Chrystal A63B 69/0059
473/213
6,659,921 B2 * 12/2003 Vernon A63B 21/0442
482/114
7,175,574 B2 * 2/2007 Carmel A63B 21/0004
482/124
D593,167 S * 5/2009 Vigilia D21/662
D644,280 S * 8/2011 Marotta D21/662
D664,612 S * 7/2012 Pinskiy D21/662
8,337,371 B2 * 12/2012 Vollmer, Jr. A63B 23/0355
482/124
8,602,951 B2 * 12/2013 Morris A63B 21/0004
403/202
D697,219 S * 1/2014 Nasir D24/190
8,968,121 B2 * 3/2015 Leggett A63B 69/0002
473/422
D808,474 S * 1/2018 Tochigi D21/681
2008/0139369 A1 * 6/2008 Vigilia A63B 21/4009
482/124

* cited by examiner

FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10

