



US00D903259S

(12) **United States Design Patent**
Kosenick

(10) **Patent No.:** **US D903,259 S**

(45) **Date of Patent:** **** Dec. 1, 2020**

(54) **SHOE**

(71) Applicant: **NIKE, Inc.**, Beaverton, OR (US)

(72) Inventor: **Jonathan Kosenick**, Beaverton, OR (US)

(73) Assignee: **NIKE, Inc.**, Beaverton, OR (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/700,543**

(22) Filed: **Aug. 2, 2019**

(51) **LOC (12) Cl.** **02-04**

(52) **U.S. Cl.**
USPC **D2/956**; D2/951; D2/953; D2/954;
D2/960

(58) **Field of Classification Search**
USPC D2/902, 906, 908, 916, 918, 925,
D2/946-962, 977; 36/1, 1.5, 3 B, 22 R,
36/24.5, 25 R, 28, 32 R, 34 R, 59 C,
36/67 A, 101-107, 114-116, 117.3, 117.4,
36/124-136
CPC A43B 13/00; A43B 13/02; A43B 13/023;
A43B 13/026; A43B 13/04; A43B 13/08;
A43B 13/10; A43B 13/12; A43B 13/14;
A43B 13/141; A43B 13/143; A43B
13/16; A43B 13/18; A43B 13/181; A43B
13/187; A43B 13/189; A43B 13/20; A43B
13/22; A43B 13/223; A43B 13/24; A43B
13/28; A43B 13/30; A43B 13/32; A43B
13/34; A43B 13/36

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

4,335,530 A * 6/1982 Stubblefield A43B 13/37
36/83
D266,371 S * 10/1982 Stubblefield D2/960

D272,580 S * 2/1984 Stubblefield 36/32 R
D284,420 S * 7/1986 Tong D2/955
D291,941 S * 9/1987 Peterson D2/957
D293,501 S * 1/1988 Kiyosawa D2/954
D315,442 S 3/1991 Kilgore et al.
6,634,121 B2 * 10/2003 Sordi A43B 13/141
36/102
D539,518 S * 4/2007 Hawker D2/953
D575,040 S * 8/2008 Bramani D2/953
D609,892 S * 2/2010 Andersen D2/954
D811,066 S * 2/2018 Young D2/960
D826,526 S * 8/2018 Small D2/957
D841,954 S * 3/2019 Petrenka D2/953
D843,704 S * 3/2019 Hong D2/960
D854,301 S * 7/2019 Raasch D2/957

(Continued)

OTHER PUBLICATIONS

Nike Air Max 2090 Betrue, Nike.com, [online], [site visited Aug. 18, 2020]. <URL: <https://www.nike.com/t/air-max-2090-betrue-mens-shoe-vR9RIQ/CZ4090-900>> (Year: 2020).*

(Continued)

Primary Examiner — T Chase Nelson

Assistant Examiner — Jonathan J. Han

(74) *Attorney, Agent, or Firm* — Banner & Witcoff, Ltd.

(57) **CLAIM**

The ornamental design for a shoe as, shown and described.

DESCRIPTION


FIG. 1 is a front bottom perspective view of a shoe showing my new design;

FIG. 2 is a bottom view thereof; and,

FIG. 3 is a rear bottom perspective view thereof.

The broken lines immediately adjacent to the internal perimeter of rear horseshoe-shaped element defines the bounds of the claimed design and form no part thereof. The broken lines depicting the remainder of the shoe show features that form no part of the claimed design.

1 Claim, 3 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D858,058	S	*	9/2019	McMillan	D2/953
D858,059	S	*	9/2019	McMillan	D2/953
D871,036	S	*	12/2019	Amago	D2/953
D871,739	S	*	1/2020	O'Connor	D2/960
D876,068	S	*	2/2020	Little	D2/960
D877,474	S	*	3/2020	Little	D2/960
D878,017	S	*	3/2020	Small	D2/947
D878,024	S	*	3/2020	McMillan	D2/953
D879,432	S	*	3/2020	Sullivan	D2/956
D879,433	S	*	3/2020	Raasch	D2/956
D881,541	S	*	4/2020	Small	D2/957
D882,224	S	*	4/2020	Small	D2/947
D882,225	S	*	4/2020	Small	D2/947
D882,909	S	*	5/2020	Small	D2/902
D885,732	S	*	6/2020	de Montgolfier	D2/953
D889,100	S	*	7/2020	Street	D2/960

OTHER PUBLICATIONS

Nike Air Max 2090 | Detailed Look and Review, WearTesters.com, Mar. 26, 2020, Nightwing2303, [online], [site visited Aug. 18, 2020]. <URL: <https://weartesters.com/nike-air-max-2090-detailed-look-and-review/>> (Year: 2020).*

Nike designs Air Max 2090 to be “shoe of the future”, Dezeen.com, Tom Ravenscroft, Apr. 16, 2020, [online], [site visited Aug. 18, 2020]. <URL: <https://www.dezeen.com/2020/04/16/nike-designs-air-max-2090-shoe-of-the-future/>> (Year: 2020).*

Lively Neon Accents Come to Nike’s Air Max 90 Essential [Online], retrieved [Jul. 22, 2019], retrieved from SneakerNews.com [Internet] <URL:<https://sneakernews.com/2019/02/18/nike-air-max-90-grey-pink-volt-aj1285-020-release-info/>>; 5 color sheets, Dated Feb. 18, 2019.

* cited by examiner




FIG. 1




FIG. 2




FIG. 3