



US00D903374S

(12) **United States Design Patent** (10) **Patent No.:** **US D903,374 S**
Goldberg et al. (45) **Date of Patent:** **** Dec. 1, 2020**

(54) **CORD TENSIONER**

(56) **References Cited**

(71) Applicant: **Hunter Douglas Inc.**, Pearl River, NY (US)

U.S. PATENT DOCUMENTS

(72) Inventors: **Michael Scott Goldberg**, Stanley, NC (US); **Fred Bould**, Menlo Park, CA (US); **Kwan Hon Anson Cheung**, San Francisco, CA (US); **Andrew Aguinaldo**, Round Lake, IL (US)

D522,787	S	*	6/2006	Dekker	D6/575
D709,714	S	*	7/2014	Graneto, III	E06B 9/40 D6/580
10,641,040	B2	*	5/2020	Holt	E06B 9/56
10,648,230	B2	*	5/2020	Holt	E06B 9/42
2009/0250177	A1	*	10/2009	Byeon	E06B 9/40 160/323.1
2011/0035908	A1	*	2/2011	Chen	E06B 9/262 24/116 A
2011/0318087	A1	*	12/2011	Wen	E06B 9/326 403/2
2012/0037324	A1	*	2/2012	Graneto, III	A47H 1/04 160/341
2014/0235387	A1	*	8/2014	Bergamaschi	F16H 7/08 474/112
2014/0311686	A1	*	10/2014	Yu	E06B 9/323 160/84.02

(73) Assignee: **Hunter Douglas Inc.**, Pearl River, NY (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/655,930**

(22) Filed: **Jul. 9, 2018**

(51) **LOC (12) Cl.** **06-10**

(52) **U.S. Cl.**
USPC **D6/581**

(58) **Field of Classification Search**
USPC D6/575-581; D8/358; D13/155;
D25/119, 121, 123, 125; D26/138
CPC A47H 1/02; A47H 1/04; A47H 1/144;
A47H 11/06; A47H 2001/042; A47H
2023/003; A47H 2023/025; A47H 23/00;
A47H 23/01; A47H 23/02; A47H 3/02;
A47H 3/06; A47H 3/08; A47H 3/10;
A47H 5/00; A47H 5/03; A47H 5/032;
A47H 5/06; A47H 5/08; E06B 9/17;
E06B 2009/2622; E06B 2009/285; E06B
7/28; E06B 9/24; E06B 9/26; E06B
9/262; E06B 9/30; E06B 9/302; E06B
9/306; E06B 9/307; E06B 9/322; E06B
9/323; E06B 9/324; E06B 9/386; E06B
9/388; E06B 9/40; E06B 9/42; E06B
9/521; E06B 9/56; E06B 9/60; E06B 9/78

See application file for complete search history.

(Continued)

Primary Examiner — Kevin K Rudzinski
Assistant Examiner — Clare Ann Gannon
(74) *Attorney, Agent, or Firm* — Leason Ellis LLP


(57) **CLAIM**

The ornamental design for a cord tensioner, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a cord tensioner according to the claimed design;
FIG. 2 is a front view of the cord tensioner of FIG. 1;
FIG. 3 is a rear view of the cord tensioner of FIG. 1;
FIG. 4 is a right side view of the cord tensioner of FIG. 1;
FIG. 5 is a left side view of the cord tensioner of FIG. 1;
FIG. 6 is a top view of the cord tensioner of FIG. 1; and,
FIG. 7 is a bottom view of the cord tensioner of FIG. 1.
The dash-dash broken lines illustrate environmental structure and form no part of the claimed design.

1 Claim, 5 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

2015/0121762 A1* 5/2015 Chou E05F 11/04
49/352
2015/0233179 A1* 8/2015 Huang E06B 9/40
160/309
2015/0376941 A1* 12/2015 Fujita E06B 9/26
160/241
2019/0264501 A1* 8/2019 Marocco E06B 9/324

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7