



US00D903606S

(12) **United States Design Patent**
Pakimo et al.

(10) **Patent No.:** **US D903,606 S**
(45) **Date of Patent:** **** Dec. 1, 2020**

(54) **ROTATABLE FUSE HOLDER**

FOREIGN PATENT DOCUMENTS

(71) Applicant: **Honeywell International Inc.**, Morris Plains, NJ (US)

GB 2266815 B 4/1996

(72) Inventors: **Dawa Pakimo**, Bangalore (IN); **Dinesh Kumar Kn**, Bangalore (IN); **Chandrashekar Thayumanavan**, Bangalore (IN); **Jaison Cherian**, Bangalore (IN); **Shripurnabodh Deshpande**, Bangalore (IN); **Karma Bhutia**, Bengaluru (IN); **Hemanth Vijaykumar**, Bangalore (IN); **Vishwanath Balakrishna**, Bengaluru (IN)

OTHER PUBLICATIONS

“S800 I/O Modules and Termination Units”, ABB, 2010, 590 pages (see esp. pages 24, 490, 526, 532, 538, and 564).

(Continued)

Primary Examiner — Karen E Kearney
Assistant Examiner — Michael Chong

(57) **CLAIM**

The ornamental design for a rotatable fuse holder, as shown and described.

DESCRIPTION

(73) Assignee: **Honeywell International Inc.**, Morris Plains, NJ (US)

FIG. 1 is a front perspective view of a rotatable fuse holder; FIG. 2 is a rear perspective view of the rotatable fuse holder of FIG. 1; FIG. 3 is a front view of the rotatable fuse holder of FIG. 1; FIG. 4 is a left side view of the rotatable fuse holder of FIG. 1; FIG. 5 is a right side view of the rotatable fuse holder of FIG. 1; FIG. 6 is a rear view of the rotatable fuse holder of FIG. 1; FIG. 7 is a top view of the rotatable fuse holder of FIG. 1; FIG. 8 is a bottom view of the rotatable fuse holder of FIG. 1; and, FIG. 9 is a perspective view of a field termination assembly that includes the rotatable fuse holder of FIG. 1.

(**) Term: **15 Years**

The broken lines depicting portions of the rotatable fuse holder form no part of the claimed design. The broken lines immediately adjacent to the shaded areas represent the bounds of the claimed design and form no part thereof. The broken lines depicting a field termination assembly in FIG. 9 are included for the purpose of illustrating environmental structure and form no part of the claimed design.

(21) Appl. No.: **29/678,909**

(22) Filed: **Jan. 31, 2019**

(51) **LOC (12) Cl.** **13-03**

(52) **U.S. Cl.**
USPC **D13/160**

(58) **Field of Classification Search**
USPC D13/123, 158, 159, 160, 161, 172, 173, D13/174, 175, 178

(Continued)


(56) **References Cited**

U.S. PATENT DOCUMENTS

D317,439 S * 6/1991 Kao D13/160
D407,693 S * 4/1999 Rowton D13/161

(Continued)

1 Claim, 8 Drawing Sheets



(58) **Field of Classification Search**

CPC H05K 5/0204; H05K 5/0221; H05K 5/023;
H05K 7/023; H05K 7/1465; H05K
7/1467; H05K 7/1474; H01H 85/0208
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

8,597,049 B2 * 12/2013 von zur Muehlen
H01H 85/202
439/532
D718,255 S * 11/2014 Garcia D13/161
D818,443 S * 5/2018 Belver Garcia D13/160

OTHER PUBLICATIONS

Specification/Instructions, "I/O Modules, User Terminal Module,
and SAnet Interface Module for Inflex AC, Inflex GC, Inflex GD,
PARAMATRIX 4, and Inflex BC I/O Control Unit", Azbil Corp.,
Jul. 2017, 24 pages (see esp. p. 22).

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 6




FIG. 4




FIG. 5




FIG. 7




FIG. 8




FIG. 9