

US00D903623S

(12) **United States Design Patent** (10) **Patent No.:** **US D903,623 S**
Nosál (45) **Date of Patent:** **** Dec. 1, 2020**

(54) **INTERCOMMUNICATION DEVICE**

FOREIGN PATENT DOCUMENTS

- (71) Applicant: **Axis AB**, Lund (SE)
- (72) Inventor: **Kryštof Nosál**, Lund (SE)
- (73) Assignee: **AXIS AB**, Lund (SE)

CN	304726589 S	7/2018
CN	304887489 S	11/2018
CN	304932638 S	12/2018

- (**) Term: **15 Years**
- (21) Appl. No.: **29/700,907**
- (22) Filed: **Aug. 6, 2019**

OTHER PUBLICATIONS

Translated Search Report from corresponding Taiwanese Design Patent Application No. 108304683, dated Apr. 19, 2020, 1 page.

Primary Examiner — Austin Murphy
(74) *Attorney, Agent, or Firm* — Tucker Ellis LLP

(30) **Foreign Application Priority Data**

(57) **CLAIM**

- Feb. 8, 2019 (EM) 006202099
- (51) **LOC (12) Cl.** **14-03**
- (52) **U.S. Cl.**
USPC **D14/159**
- (58) **Field of Classification Search**
USPC D14/302–307, 900–902, 159; D13/163;
D20/10; D21/332, 325, 369, 370;
D99/28; D6/397, 466; 194/206;
361/679.01, 679.02, 679.04, 679.21,
361/679.57, 725
CPC G06Q 20/18; G06Q 20/10; G06Q 20/123;
G06Q 20/20; G06Q 30/02; G06Q 30/06;
A47F 9/047
See application file for complete search history.

The ornamental design for an intercommunication device, as shown and described.

DESCRIPTION

(56) **References Cited**


U.S. PATENT DOCUMENTS

D561,734 S *	2/2008	Yamada	D14/159
D562,306 S *	2/2008	Jeong	D14/159
D588,574 S *	3/2009	Takahata	D14/159
D597,062 S *	7/2009	Lando	D14/159
D729,760 S *	5/2015	Takahata	D14/159
D761,752 S *	7/2016	Takahata	D14/159
D761,757 S *	7/2016	Michielan	D14/159
D766,204 S *	9/2016	Takahata	D14/159
D769,210 S *	10/2016	Haro	D14/159
D771,008 S *	11/2016	Takahata	D14/159

FIG. 1 is a front-right-bottom perspective view of a first embodiment of an intercommunication device showing my new design;
 FIG. 2 is a front view thereof;
 FIG. 3 is a rear view thereof;
 FIG. 4 is a right side view thereof;
 FIG. 5 is a left side view thereof;
 FIG. 6 is a top view thereof;
 FIG. 7 is a bottom view thereof;
 FIG. 8 is a front-right-bottom perspective view of a second embodiment of the intercommunication device;
 FIG. 9 is a front view thereof;
 FIG. 10 is a rear view thereof;
 FIG. 11 is a right side view thereof;
 FIG. 12 is a left side view thereof;
 FIG. 13 is a top view thereof; and,
 FIG. 14 is a bottom view thereof.
 The broken lines are for the purpose of illustrating portions of the intercommunication device and form no part of the claimed design.

(Continued)

1 Claim, 10 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D788,061 S	*	5/2017	Siminoff	D14/159
D820,804 S	*	6/2018	Nagatsuka	D14/159
D820,805 S	*	6/2018	Nagatsuka	D14/159
D842,263 S	*	3/2019	Takahata	D14/159
D848,392 S	*	5/2019	Zeng	D14/159
D864,146 S	*	10/2019	Takahata	D14/159
D869,424 S	*	12/2019	Takahata	D14/159

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14