



US00D903869S

(12) **United States Design Patent** (10) **Patent No.:** **US D903,869 S**
Noack et al. (45) **Date of Patent:** **** Dec. 1, 2020**

(54) **PROSTHETICS**

D745,677 S * 12/2015 Sigurdsson D24/155
D799,698 S * 10/2017 Radau D24/155
D815,283 S * 4/2018 Noack D24/155
D865,966 S * 11/2019 Guyon D24/155

(71) Applicant: **Ottobock SE & Co. KGaA**, Duderstadt (DE)

* cited by examiner

(72) Inventors: **Christian Noack**, Göttingen (DE);
Kathrin Pohl, Göttingen (DE)

Primary Examiner — Charles D Hanson

(73) Assignee: **OTTOBOCK SE & CO. KGAA**, Duderstadt (DE)

(74) *Attorney, Agent, or Firm* — Holland & Hart, LLP

(**) Term: **15 Years**

(57) **CLAIM**

(21) Appl. No.: **29/702,371**

The ornamental design for a prosthetics, as shown and described.

(22) Filed: **Aug. 19, 2019**

(30) **Foreign Application Priority Data**

Feb. 21, 2019 (EM) 006264008

DESCRIPTION

(51) **LOC (12) Cl.** **24-03**

(52) **U.S. Cl.**
USPC **D24/155**

(58) **Field of Classification Search**
USPC D24/155
CPC A61F 2/80; A61F 2/60; A61F 2/76; A61F 2/68; A61F 2/64; A61F 2220/0025; A61F 2220/41; A61F 2002/607; A61F 2002/802; A61F 2002/5007
See application file for complete search history.

FIG. 1 is a perspective view of a prosthetics according to the present invention;
FIG. 2 is a front view thereof;
FIG. 3 is a right side view thereof;
FIG. 4 is a left side view thereof;
FIG. 5 is a top view thereof; and,
FIG. 6 is a bottom view thereof.


(56) **References Cited**

U.S. PATENT DOCUMENTS

D523,959 S * 6/2006 Muehlenberend D24/155
D592,749 S * 5/2009 Muhlenberend D24/155
D721,810 S * 1/2015 Sigurdsson D24/155
D736,385 S * 8/2015 Nakaya D24/155

The broken lines shown in the drawing views are included for the purpose of illustrating environment and form no part of the claimed design.

1 Claim, 6 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6