



US00D904269S

(12) **United States Design Patent**  
**Bjerke**

(10) **Patent No.:** **US D904,269 S**

(45) **Date of Patent:** **\*\* Dec. 8, 2020**

(54) **VEHICLE RIM**

(71) Applicant: **VOLVO CAR CORPORATION,**  
Göteborg (SE)

(72) Inventor: **Ole-Kristian Bjerke,** Göteborg (SE)

(73) Assignee: **VOLVO CAR CORPORATION,**  
Gothenburg (SE)

(\*\*) Term: **15 Years**

(21) Appl. No.: **29/702,241**

(22) Filed: **Aug. 17, 2019**

(30) **Foreign Application Priority Data**

Feb. 18, 2019 (EM) ..... 006260576-0005

(51) **LOC (12) Cl.** ..... **12-16**

(52) **U.S. Cl.**  
USPC ..... **D12/209**

(58) **Field of Classification Search**  
USPC ..... D12/204–213; D21/563  
CPC .... B60B 7/00; B60B 7/02; B60B 7/04; B60B  
7/01; B60B 7/06; B60B 3/02; B60B 3/04;  
B60B 3/06; B60B 3/10; B60B 1/00;  
B60B 1/08; B60B 1/10; B60B 1/12  
See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D673,097 S \* 12/2012 Lemke ..... D12/209  
D685,710 S \* 7/2013 Hanaoka ..... D12/209

D695,184 S \* 12/2013 Pollmann ..... D12/209  
D723,989 S \* 3/2015 Morikawa ..... D12/209  
D734,235 S \* 7/2015 Juergens ..... D12/209  
D744,927 S \* 12/2015 Morgenstern ..... D12/209  
D763,159 S \* 8/2016 Valencia Pollex ..... D12/209  
D768,553 S \* 10/2016 Ishii ..... D12/209  
D788,674 S \* 6/2017 Mielke ..... D12/209  
D813,781 S \* 3/2018 Valencia Pollex ..... D12/209  
D838,651 S \* 1/2019 Kato ..... D12/209  
D838,652 S \* 1/2019 Kato ..... D12/209  
D848,336 S \* 5/2019 Holly ..... D12/209  
D862,352 S \* 10/2019 Bjerke ..... D12/209  
D871,998 S \* 1/2020 Liu ..... D12/209  
D880,395 S \* 4/2020 Valencia Pollex ..... D12/209  
D884,575 S \* 5/2020 Rosello Visa ..... D12/209  
D893,382 S \* 8/2020 Tanaka ..... D12/209  
D893,383 S \* 8/2020 Tanaka ..... D12/209  
D893,385 S \* 8/2020 Tanaka ..... D12/209

\* cited by examiner

*Primary Examiner* — Stacia A Cadmus

(74) *Attorney, Agent, or Firm* — Berenato & White, LLC



(57) **CLAIM**

The ornamental design for a vehicle rim, as shown.

**DESCRIPTION**

FIG. 1 is a front view of a vehicle rim showing my new design;  
FIG. 2 is a right perspective view thereof;  
FIG. 3 is a left perspective view thereof;  
FIG. 4 is a right side view thereof;  
FIG. 5 is a left side view thereof;  
FIG. 6 is a top view thereof; and,  
FIG. 7 is a bottom view thereof.

**1 Claim, 7 Drawing Sheets**







FIG. 1




**FIG. 2**




**FIG. 3**




**FIG. 4**



**FIG. 5**



**FIG. 6**



**FIG. 7**