



US00D904857S

(12) **United States Design Patent**
Kobayashi

(10) **Patent No.:** **US D904,857 S**

(45) **Date of Patent:** **** Dec. 15, 2020**

- (54) **WIRE LEAD-IN DEVICE**
- (71) Applicant: **Yanegijutsukenkyujo Co., Ltd.**,
Takahama (JP)
- (72) Inventor: **Shuichi Kobayashi**, Takahama (JP)
- (73) Assignee: **YANEGIJUTSUKENKYUJO CO., LTD.**, Takahama (JP)
- (**) Term: **15 Years**
- (21) Appl. No.: **29/693,847**
- (22) Filed: **Jun. 5, 2019**
- (51) **LOC (12) Cl.** **08-08**
- (52) **U.S. Cl.**
USPC **D8/349**
- (58) **Field of Classification Search**
USPC D8/349, 353, 330, 331, 336, 338, 339,
D8/340, 343, 350-352, 300, 301;
D13/152, 156
CPC G05B 19/00; G05B 15/00; E05B 49/00;
E05B 49/02; E05B 9/00; E05B 17/00;
E05B 37/00; E05B 3/00; E05B 13/103;
E05B 1/00; E05B 47/00
See application file for complete search history.

D680,082 S *	4/2013	Weeks	D13/156
D698,287 S *	1/2014	Terpsma	D12/162
D747,177 S *	1/2016	McGinty	D8/349
D753,638 S *	4/2016	Tatem	D14/239
D792,184 S *	7/2017	Deshler	D8/71
D804,285 S *	12/2017	Rock	D8/349
D824,430 S *	7/2018	Sivinski	D15/28
D850,887 S *	6/2019	Solow	D8/349
D883,070 S *	5/2020	Zhang	D8/349
D883,770 S *	5/2020	Zimmerman	D8/349
D884,302 S *	5/2020	Azzaro	D34/10
D886,746 S *	6/2020	Anadasu	D13/158
D887,190 S *	6/2020	Lin	D6/707.17
D887,366 S *	6/2020	Madathil Sankarankutty Nair	D13/152
D893,983 S *	8/2020	Falca	D8/349
2015/0184371 A1 *	7/2015	Stauffer	E04B 1/2403 52/701

* cited by examiner

Primary Examiner — Mark A Goodwin
Assistant Examiner — Benjamin M Weeks
(74) *Attorney, Agent, or Firm* — Kenichiro Yoshida

(57) **CLAIM**

The ornamental design for a wire lead-in device, as shown and described.

DESCRIPTION

FIG. 1 is a front elevational view of a wire lead-in device showing my new design;
FIG. 2 is a rear elevational view thereof;
FIG. 3 is a top plan view thereof;
FIG. 4 is a bottom plan view thereof;
FIG. 5 is a right side elevational view thereof;
FIG. 6 is a left side elevational view thereof; and,
FIG. 7 is a perspective view thereof.

1 Claim, 7 Drawing Sheets

- (56) **References Cited**
U.S. PATENT DOCUMENTS
- D360,618 S * 7/1995 Stines D13/156
- D373,902 S * 9/1996 Wang D3/318
- D374,739 S * 10/1996 Blanton D26/138
- D467,792 S * 12/2002 Zadak A47F 5/0823
D8/354
- D538,752 S * 3/2007 Kiely D13/152
- D556,546 S * 12/2007 Swanson D8/354
- D675,579 S * 2/2013 Rucker D13/156




Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7

