

US00D904986S

(12) **United States Design Patent** (10) **Patent No.:** **US D904,986 S**
Klesk et al. (45) **Date of Patent:** **** Dec. 15, 2020**

(54) **SAFETY CONTROLLER**

FOREIGN PATENT DOCUMENTS

(71) Applicant: **Banner Engineering Corp.**,
Minneapolis, MN (US)

JP 2009146039 A 7/2009

(72) Inventors: **John Klesk**, Minneapolis, MN (US);
Matthew Gelineau, Minneapolis, MN
(US); **Bruce Becker**, Minneapolis, MN
(US); **Calvin Sargent**, Minneapolis,
MN (US); **Bill Rust**, Minneapolis, MN
(US); **Nathan Casteel**, Minneapolis,
MN (US); **Dean Erickson**,
Minneapolis, MN (US)

OTHER PUBLICATIONS

Automation World, SC10 Series safety controller, Mar. 5, 2019; 3
pgs. ; [https://www.automationworld.com/home/news/13319785/
banner-engineering-introduces-new-safety-controller-with-the-
functionality-of-two-safety-relays-and-advanced-capabilities.*](https://www.automationworld.com/home/news/13319785/banner-engineering-introduces-new-safety-controller-with-the-functionality-of-two-safety-relays-and-advanced-capabilities)

Primary Examiner — Selina Sikder

(74) *Attorney, Agent, or Firm* — Craige Thompson;
Thompson Patent Law

(73) Assignee: **BANNER ENGINEERING CORP.**,
Plymouth, MN (US)

(57) **CLAIM**

The ornamental design for a safety controller, as shown and
described.

(**) Term: **15 Years**

DESCRIPTION

(21) Appl. No.: **29/696,420**

(22) Filed: **Jun. 27, 2019**

(51) **LOC (12) Cl.** **13-03**

(52) **U.S. Cl.**

USPC **D13/159**; D13/162.1

(58) **Field of Classification Search**

USPC D13/110, 123, 159, 162, 162.1, 184

CPC .. G05B 9/02; G05B 19/0423; G05B 19/0425;

G05B 19/0428; G05B 19/05; G05B

19/054; G05B 19/056; G05B 19/058;

H05K 7/1462; H05K 7/1467; H05K

7/1474

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D307,263 S * 4/1990 Ishida D13/162.1

D309,600 S * 7/1990 Backes D13/162.1

6,307,153 B2 * 10/2001 Imoto G05B 19/0423

174/50

D488,441 S * 4/2004 Ogawa D13/110

(Continued)

The patent or application file contains at least one drawing
executed in color. Copies of this patent or patent application
publication with color drawing(s) will be provided by the
Office upon request and payment of the necessary fee.

FIG. 1 is a front, top and right perspective view of a safety
controller showing the new design;

FIG. 2 is a front elevation view of the safety controller of
FIG. 1;

FIG. 3 is a back elevation view of the safety controller of
FIG. 1;

FIG. 4 is a right side elevation view of the safety controller
of FIG. 1;


FIG. 5 is a left side elevation view of the safety controller
of FIG. 1;

FIG. 6 is a top plan view of the safety controller of FIG. 1;
and,

FIG. 7 is a bottom plan view of the safety controller of FIG.
1.

The broken lines are for illustrative purposes only and form
no part of the claimed design.

1 Claim, 7 Drawing Sheets
(7 of 7 Drawing Sheet(s) Filed in Color)



(56)

References Cited

U.S. PATENT DOCUMENTS

7,242,116	B2 *	7/2007	Kawazu	G05B 19/058 307/326
7,395,123	B2 *	7/2008	Papenbreer	G05B 19/0423 700/21
7,841,440	B2	11/2010	Liu	
D673,910	S *	1/2013	Lostun	D13/110
D738,828	S *	9/2015	Geitner	D13/159
D743,350	S *	11/2015	Ringer	D13/162
D776,067	S *	1/2017	Geitner	D13/159
D811,327	S *	2/2018	Mueller	D13/110
D811,332	S *	2/2018	Siddiqui	D13/123
D822,619	S *	7/2018	Miholic	D13/159
D829,671	S *	10/2018	Miholic	D13/159
D855,568	S *	8/2019	Takahashi	D13/123
D868,006	S *	11/2019	Ueda	D13/162.1
D885,349	S *	5/2020	Brenk	D13/158
2004/0218317	A1	11/2004	Kawazu et al.	
2016/0170922	A1 *	6/2016	Rose	G06F 13/4068 710/305
2018/0132382	A1 *	5/2018	Baran	F04D 25/166

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7