



US00D905182S

(12) **United States Design Patent**
Soderquist

(10) **Patent No.:** **US D905,182 S**

(45) **Date of Patent:** **** Dec. 15, 2020**

(54) **TRAINING BAT**

(71) Applicant: **David G. Soderquist**, Long Key, FL
(US)

(72) Inventor: **David G. Soderquist**, Long Key, FL
(US)

(73) Assignee: **SWEETSPOT BASEBALL, LLC**,
Minnetonka, MN (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/686,862**

(22) Filed: **Apr. 8, 2019**

(51) **LOC (12) Cl.** **21-02**

(52) **U.S. Cl.**
USPC **D21/725**

(58) **Field of Classification Search**
USPC D21/725, 780, 756-758
CPC A63B 59/00; A63B 59/50-59/58; A63B
59/80; A63B 60/00; A63B 60/46; A63B
2102/00; A63B 2102/10; A63B 2102/12;
A63B 2102/26; A63B 2102/28; A63B
2102/30; A63B 2102/38
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D2,351 S *	7/1866	Bell	D21/725
300,360 A *	6/1884	Gray	A63B 59/50 473/568
2,101,714 A *	12/1937	Keeney	A63B 60/10 427/341
5,273,278 A *	12/1993	Becker	A63B 49/02 473/457
5,590,875 A *	1/1997	Young	A63B 59/59 473/457
D398,680 S *	9/1998	Kennedy	D21/725

D443,662 S *	6/2001	Udwin	D21/725
D475,425 S *	6/2003	Larsen	D21/725
6,669,584 B1 *	12/2003	Miller	A63B 60/10 473/568
6,783,471 B2 *	8/2004	Bolduc	A63B 69/0002 473/457
6,872,157 B2 *	3/2005	Falone	A63B 60/10 473/568
6,881,164 B2 *	4/2005	Gilligan	B25G 1/10 473/568
D561,281 S *	2/2008	Sims	D21/725
D590,900 S *	4/2009	Sass	D21/725
D596,250 S *	7/2009	Sass	D21/725
D601,648 S *	10/2009	Comello, Jr.	D21/725
D606,137 S *	12/2009	Comello, Jr.	D21/725
D624,977 S *	10/2010	Comello, Jr.	D21/725
D625,763 S *	10/2010	Comello, Jr.	D21/725

(Continued)

Primary Examiner — Mitchell I. Siegel

(74) *Attorney, Agent, or Firm* — Richard John Bartz


(57) **CLAIM**

The ornamental design of a training bat, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of the training bat of my design; FIG. 2 is a front elevational view of the training bat of FIG. 1; FIG. 3 is a rear elevational view of the training bat of FIG. 1; FIG. 4 is a top plan view of the training bat of FIG. 1; FIG. 5 is a bottom plan view of the training bat of FIG. 1; FIG. 6 is a left end elevational view of the training bat of FIG. 1; FIG. 7 is a right end elevational view of the training bat of FIG. 1; and, FIG. 8 is an enlarged view of the handle portions of the training bat taken from the breakout circle 8 of FIG. 2.

1 Claim, 5 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D626,190 S	*	10/2010	Comello, Jr.	D21/725
D719,034 S	*	12/2014	Sauczuk	D21/725
D735,286 S	*	7/2015	Luden	D21/725
D851,717 S	*	6/2019	Zawitz	D21/725

* cited by examiner




FIG. 1




FIG. 8




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8