



US00D905822S

(12) **United States Design Patent** (10) **Patent No.:** **US D905,822 S**
Ciura (45) **Date of Patent:** **** Dec. 22, 2020**

(54) **SPRAY GUN**

(71) Applicant: **ROMER Sp. Cywilna Andrzej Ciura, Wojciech Ciura, Skarzysko-Kamienna (PL)**

(72) Inventor: **Wojciech Ciura, Skarzysko-Kamienna (PL)**

(73) Assignee: **ROMER SP. CYWILNA ANDRZEJ CIURA, WOJCIECH CIURA, Skarzysko-Kamienna (PL)**

(**) Term: **15 Years**

(21) Appl. No.: **29/683,153**

(22) Filed: **Mar. 11, 2019**

(30) **Foreign Application Priority Data**

Dec. 4, 2018 (EM) 005842382-0001

(51) **LOC (12) Cl.** **23-01**

(52) **U.S. Cl.**
USPC **D23/226**

(58) **Field of Classification Search**
USPC D23/213, 214, 215, 223, 224, 226, 229, D23/230

CPC A61H 9/0021; A61H 33/00; B05B 1/00; B05B 1/14; B05B 1/185; B05B 1/08; B05B 1/02; B05B 1/26; B05B 12/002; B05B 1/18; B05B 9/01

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D405,503 S * 2/1999 Endo D23/226
D457,599 S * 5/2002 Karwoski D23/226
D545,943 S * 7/2007 Rodgers D23/226
D575,374 S * 8/2008 Huang D23/226
D578,603 S * 10/2008 Khaitov D23/213
D588,231 S * 3/2009 Pellin D23/213

D607,086 S * 12/2009 Kosaka D23/226
D672,012 S * 12/2012 Brose D23/226
D704,300 S * 5/2014 Li D23/225
D725,743 S * 3/2015 Richter D23/226
D727,466 S * 4/2015 Richter D23/226
D757,214 S * 5/2016 Richter D23/213
D757,216 S * 5/2016 Gehrung D23/225
9,433,953 B2 * 9/2016 Ghesla B05B 5/03
D770,593 S * 11/2016 Gehrung D23/226
D778,405 S * 2/2017 Wang D23/226

(Continued)

OTHER PUBLICATIONS

https://www.amazon.com/Wagner-0516198-516198-Flexible-Suction/dp/B00ZS8BKAI/ref=sr_1_172?dchild=1&keywords=paint+sprayer&qid=1587671946&sr=8-172 (Year: 2015).*

Primary Examiner — Manpreet S Matharu

Assistant Examiner — Keith J Wilson

(74) *Attorney, Agent, or Firm* — Myers Wolin, LLC

(57) **CLAIM**

The ornamental design for spray gun, as shown and described.

DESCRIPTION

FIG. 1 is a front elevation of spray gun showing my new design, a rear elevation view is a mirror image of the front elevation view thereof;

FIG. 2 is a top plan view thereof;

FIG. 3 is a bottom plan view thereof;

FIG. 4 is a left side elevation view thereof;


FIG. 5 is a right side elevation view thereof;

FIG. 6 is a perspective view of spray gun in a first orientation; and,

FIG. 7 is a perspective view of spray gun in a second orientation showing my new design thereof.

The broken line showing contour of the circular elements of the gun in FIG. 5 is for the purpose of illustrating a portion of the article and forms no part of the claimed design.

1 Claim, 4 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D794,755 S * 8/2017 Wang D23/226
D800,868 S * 10/2017 Crenshaw D23/226
D801,477 S * 10/2017 Mazur D23/226
D803,353 S * 11/2017 Negri D23/226
D812,718 S * 3/2018 Kosaka D23/226
D821,545 S * 6/2018 Gehrung D23/226
D830,506 S * 10/2018 Gehrung D23/223
D831,792 S * 10/2018 Gehrung D23/223
D835,235 S * 12/2018 Gehrung D23/226
D854,123 S * 7/2019 Becker D23/226
D858,698 S * 9/2019 Arino D23/213
D861,130 S * 9/2019 Carls D23/226
2015/0017327 A1 * 1/2015 Myers B05B 7/1209
427/207.1
2017/0231212 A1 * 8/2017 Crenshaw A01M 7/0046
239/11
2019/0299233 A1 * 10/2019 Johnston B05B 12/002

* cited by examiner



FIG.1




FIG.2




FIG.3




FIG.4




FIG.5




FIG.6




FIG. 7