



US00D905891S

(12)

United States Design Patent

Anastassiades

(10) Patent No.:

US D905,891 S

(45) Date of Patent:

** Dec. 22, 2020

(54) CEILING LIGHT

(71) Applicant: FLOS S.P.A., Bovezzo (IT)

(72) Inventor: Michael Anastassiades, Bovezzo (IT)

(73) Assignee: FLOS S.p.A., Bovezzo (IT)

(**) Term: 15 Years

(21) Appl. No.: 35/507,883

(22) Filed: Sep. 20, 2019

(80) Hague Agreement Data

Int. Filing Date: Sep. 20, 2019

Int. Reg. No.: DM/204173

Int. Reg. Date: Sep. 20, 2019

Int. Reg. Pub. Date: Nov. 29, 2019

(30) Foreign Application Priority Data

Apr. 2, 2019 (IT) 402019000000619

(51) LOC (12) Cl. 26-04

(52) U.S. Cl.

USPC D26/75

(58) Field of Classification Search

USPC D26/72, 74, 75, 76, 78–83, 85, 86, 88, D26/90, 93, 104, 111, 113, 118–122, D26/138–142, 152

CPC F21S 2/00; F21S 4/00; F21S 4/003; F21S 4/005; F21S 4/006; F21S 4/007; F21S 4/008; F21S 6/00; F21S 8/00; F21S 8/024; F21S 8/026; F21S 8/031; F21S 8/033; F21S 8/035–037; F21S 8/04; F21S 8/043; F21S 8/063

See application file for complete search history.

(56) References Cited

U.S. PATENT DOCUMENTS

D485,005 S * 1/2004 Olson D26/104

D613,897 S * 4/2010 Thun D26/88

D614,340 S * 4/2010 Thun D26/88

D679,439 S * 4/2013 Lai D26/75

D733,942 S * 7/2015 Chen D26/3

D812,253 S * 3/2018 Deng D26/3

D846,789 S * 4/2019 Barber D26/88

D851,323 S * 6/2019 Barber D26/93

D855,230 S * 7/2019 Zhang D26/63

D858,853 S * 9/2019 Anastassiades D26/76

D863,653 S * 10/2019 Bouroullec D26/88

D866,045 S * 11/2019 Anastassiades D26/88

D869,741 S * 12/2019 Sonneman D26/138

D869,742 S * 12/2019 Sonneman D26/138

D869,743 S * 12/2019 Sonneman D26/138

D869,744 S * 12/2019 Sonneman D26/138

D883,557 S * 5/2020 Herremans D26/106

D893,794 S * 8/2020 Kelley D26/110

* cited by examiner

Primary Examiner — Natasha Vujcic

(74) Attorney, Agent, or Firm — Thomas | Horstemeyer, LLP

(57) CLAIM


The ornamental design for a ceiling light, as shown and described.

DESCRIPTION


1. Ceiling light

FIG. 1.1 is a perspective view of the design; FIG. 1.2 is a front view thereof; FIG. 1.3 is a rear view thereof; FIG. 1.4 is a left view thereof; FIG. 1.5 is a right view thereof; FIG. 1.6 is a top view thereof; FIG. 1.7 is a bottom view thereof. The design is a ceiling light consisting of a support body and four cylindrical bodies; each cylindrical body extends along a vertical axis; each cylindrical wall has an opaque portion and translucent portion; the opaque portions are joined to the support body; each cylindrical body houses a LED light source; The broken lines in the drawings illustrate portions of the ceiling light which forms no part of the claimed design.

1 Claim, 7 Drawing Sheets



1.1




1.2



1.3




1.4



1.5



1.6



1.7

