



US00D906097S

(12) **United States Design Patent** (10) **Patent No.:** **US D906,097 S**
Krull et al. (45) **Date of Patent:** **** Dec. 29, 2020**

(54) **HOOK**
(71) Applicant: **3M INNOVATIVE PROPERTIES COMPANY**, St. Paul, MN (US)
(72) Inventors: **Brett P. Krull**, Saint Anthony, MN (US); **Dawud H. Tan**, Lakeland, MN (US); **Daniel E. Johnson**, Marine on St. Croix, MN (US); **Jimmy M. Le**, St. Paul, MN (US); **Stephen M. Sanocki**, Stillwater, MN (US)
(73) Assignee: **3M INNOVATIVE PROPERTIES COMPANY**, St. Paul, MN (US)
(**) Term: **15 Years**

D212,553 S * 10/1968 Hekman D8/367
D307,539 S * 5/1990 Goodman D8/367
D345,497 S * 3/1994 Miller D8/367
D390,014 S * 2/1998 Ho D6/323
D554,481 S * 11/2007 Newbould D8/367
D554,482 S * 11/2007 Hager D8/367
D557,171 S * 12/2007 Davison D11/82
D565,939 S * 4/2008 Newbould D8/367
D579,322 S * 10/2008 Newbould D8/367
7,833,620 B2 * 11/2010 Enserink F16B 47/003
248/205.3
D632,951 S * 2/2011 McGreevy D8/367
D641,228 S * 7/2011 Qiblawi D8/367
D667,293 S * 9/2012 Thompson D8/367
D672,223 S * 12/2012 Thompson D8/356
D678,041 S * 3/2013 Pan D8/367
D680,804 S * 4/2013 Gilboe D7/367
D682,663 S * 5/2013 Evon D8/367
D687,686 S * 8/2013 Robinson D8/14

(21) Appl. No.: **29/722,414**

(22) Filed: **Jan. 29, 2020**

Related U.S. Application Data

(63) Continuation of application No. 29/643,192, filed on Apr. 5, 2018, now Pat. No. Des. 876,935.

(51) **LOC (12) Cl.** **08-05**

(52) **U.S. Cl.**
USPC **D8/367**

(58) **Field of Classification Search**
USPC D8/367, 354, 349, 356; D12/162; 47/46; D6/315, 323
CPC ... A47G 29/083; F16B 45/00; A63B 21/0557; B60P 7/0823; E01F 16/06; B42F 15/0035
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

2,679,998 A * 6/1954 Keller F16B 47/003
248/205.3
2,765,998 A * 10/1956 Engert A47G 1/17
248/205.3

(Continued)

Primary Examiner — Cynthia R Underwood
(74) *Attorney, Agent, or Firm* — Kevin W. Weber


(57) **CLAIM**

The ornamental design for a hook, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view showing a new design for a hook;
FIG. 2 is a front view thereof;
FIG. 3 is a right side view thereof, a left side view being a mirror image thereof;
FIG. 4 is a rear view thereof;
FIG. 5 is a top view thereof; and,
FIG. 6 is a bottom view thereof.
The portions of a mounting adhesive construction coupled to the hook in FIGS. 1-6 shown in broken lines are included to show features that form no part of the claimed design.

1 Claim, 2 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D697,387	S	*	1/2014	Starck	D8/367
D697,388	S	*	1/2014	Pan	D8/367
D697,389	S	*	1/2014	Pan	D8/367
D707,111	S	*	6/2014	Callif	D8/367
D714,622	S	*	10/2014	Pan	D8/367
D714,623	S	*	10/2014	Pan	D8/367
D715,133	S	*	10/2014	Pan	D8/367
D715,624	S		10/2014	Thompson et al.		
D715,625	S	*	10/2014	Pan	D8/367
D715,626	S	*	10/2014	Pan	D8/367
D718,184	S	*	11/2014	Nealon	D11/202
D769,700	S	*	10/2016	Chinchon	D8/356
D793,281	S	*	8/2017	Maier	D11/234
D811,201	S		2/2018	Berger et al.		
D812,454	S		3/2018	Berger et al.		
D817,749	S	*	5/2018	Ryu	D8/367
D817,830	S	*	5/2018	Archambault	D12/190
D821,184	S		6/2018	Berger et al.		
D842,082	S	*	3/2019	Thompson	D8/367
D852,611	S	*	7/2019	Shoenhair	D8/367

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5



FIG. 6