



US00D906246S

(12) **United States Design Patent** (10) **Patent No.:** **US D906,246 S**
Chung (45) **Date of Patent:** **** Dec. 29, 2020**

(54) **FERRITE CORE**

(56) **References Cited**

(71) Applicants: **LITE-ON ELECTRONICS (GUANGZHOU) LIMITED**, Guangzhou (CN); **LITE-ON TECHNOLOGY CORPORATION**, Taipei (TW)

U.S. PATENT DOCUMENTS

| | | | |
|----------------|---------|---------------------|-------------------------|
| D204,382 S * | 4/1966 | Sweeney et al. | D13/183 |
| 3,898,601 A * | 8/1975 | Meindl | H01F 17/04 336/136 |
| 4,405,913 A * | 9/1983 | Finkbeiner | H01F 27/306 336/198 |
| D280,810 S * | 10/1985 | Mitsui | D13/118 |
| 5,140,291 A * | 8/1992 | Mulder | H01F 27/255 336/198 |
| 5,175,525 A * | 12/1992 | Smith | H01F 27/2866 336/183 |
| D463,365 S * | 9/2002 | Sakai | D13/118 |
| 6,696,913 B2 * | 2/2004 | Meuche | H01F 3/08 336/208 |
| 7,701,320 B2 * | 4/2010 | Iwakura | H01F 27/325 336/212 |
| 7,969,266 B2 * | 6/2011 | Sano | H01F 17/06 336/65 |
| D657,311 S * | 4/2012 | Chan | D13/118 |
| 8,242,870 B1 * | 8/2012 | Folker | H01F 27/255 336/198 |
| D682,208 S * | 5/2013 | Kobayashi | D13/118 |

(72) Inventor: **Chao-Lin Chung**, Taipei (TW)

(73) Assignees: **LITE-ON ELECTRONICS (GUANGZHOU) LIMITED**; **LITE-ON TECHNOLOGY CORPORATION**

(**) Term: **15 Years**

(21) Appl. No.: **29/712,403**

(22) Filed: **Nov. 7, 2019**

(30) **Foreign Application Priority Data**

Aug. 30, 2019 (TW) 108305278

(51) **LOC (12) Cl.** **13-02**

(52) **U.S. Cl.**
USPC **D13/118**

(58) **Field of Classification Search**
USPC D13/117, 101, 118, 133, 179, 183, 199;
123/634; 250/231.12; 336/83, 90, 92,
336/96, 160, 178, 192, 198, 200; D15/5,
D15/199
CPC H01F 27/02; H01F 27/04; H01F 27/24;
H01F 27/26; H01F 27/28; H01F 27/29;
H01F 27/30; H01F 27/34; H01F 27/006;
H01F 27/292; H01F 27/325; H01F 38/08;
H01F 17/04; H01F 17/045; H01F 37/00;
H02M 3/28

See application file for complete search history.

Primary Examiner — Derrick E Holland

(74) *Attorney, Agent, or Firm* — Innovation Counsel LLP


(57) **CLAIM**

The ornamental design for a ferrite core, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a ferrite core showing my new design;
FIG. 2 is a front view thereof;
FIG. 3 is a rear view thereof;
FIG. 4 is a left side view thereof;
FIG. 5 is a right side view thereof;
FIG. 6 is a top view thereof; and,
FIG. 7 is a bottom view thereof.

1 Claim, 7 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

8,803,647 B2 * 8/2014 Saka H01F 27/22
336/59

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7