



US00D906264S

(12) **United States Design Patent**
Trupp

(10) **Patent No.:** **US D906,264 S**

(45) **Date of Patent:** **** Dec. 29, 2020**

(54) **REMOTE CONTROL DEVICE**

(71) Applicant: **Tony Trupp**, Eugene, OR (US)

(72) Inventor: **Tony Trupp**, Eugene, OR (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/682,354**

(22) Filed: **Mar. 4, 2019**

(51) **LOC (12) Cl.** **14-03**

(52) **U.S. Cl.**
USPC **D13/168**

(58) **Field of Classification Search**

USPC D13/162, 168, 184; D14/216, 218, 240,
D14/358; D10/49, 50, 52
CPC H03J 1/0025; G06F 1/181; G05B 11/01;
G08C 17/00; G08C 17/02

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

| | | | | |
|--------------|--------|--------------|-------|---------|
| D371,791 S * | 7/1996 | Patton | | D14/218 |
| D371,792 S * | 7/1996 | Patton | | D14/218 |
| D418,837 S * | 1/2000 | Ishii | | D14/218 |
| D430,143 S * | 8/2000 | Renk | | D14/218 |
| D448,365 S * | 9/2001 | Kerestegian | | D14/240 |
| D463,404 S * | 9/2002 | Sadatsuki | | D14/218 |
| D495,665 S * | 9/2004 | Stekelenburg | | D13/168 |
| D526,966 S * | 8/2006 | Chen | | D13/168 |
| D598,009 S * | 8/2009 | Painter | | D14/218 |
| D607,440 S * | 1/2010 | Yamakawa | | D14/206 |
| D756,953 S * | 5/2016 | Zhang | | D14/162 |
| D811,392 S * | 2/2018 | Lu | | D14/358 |

* cited by examiner

Primary Examiner — Selina Sikder

(74) *Attorney, Agent, or Firm* — Klarquist Sparkman, LLP



(57) **CLAIM**

The ornamental design for a remote control device, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a new design for an embodiment of a remote control device;
FIG. 2 is a left side view of the new design of FIG. 1;
FIG. 3 is a right side view of the new design of FIG. 1;
FIG. 4 is a front view of the new design of FIG. 1;
FIG. 5 is a top view of the new design of FIG. 1;
FIG. 6 is a bottom view of the new design of FIG. 1;
FIG. 7 is a perspective view of another embodiment of a new design for a remote control device;
FIG. 8 is a left side view of the new design of FIG. 7;
FIG. 9 is a right side view of the new design of FIG. 7;
FIG. 10 is a front view of the new design of FIG. 7;
FIG. 11 is a top view of the new design of FIG. 7; and,
FIG. 12 is a bottom view of the new design of FIG. 7.
The broken lines shown in the drawings represent portions of the remote control devices that form no part of the claimed design or illustrate environment that forms no part of the claimed design.

1 Claim, 8 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12