



US00D906437S

(12) **United States Design Patent**
Broeker

(10) **Patent No.:** **US D906,437 S**

(45) **Date of Patent:** **** Dec. 29, 2020**

(54) **COORDINATION TRAINING APPARATUS**

(71) Applicant: **Josh Broeker**, Winter Garden, FL (US)

(72) Inventor: **Josh Broeker**, Winter Garden, FL (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/647,652**

(22) Filed: **May 15, 2018**

(51) **LOC (12) Cl.** **21-01**

(52) **U.S. Cl.**
USPC **D21/468**

(58) **Field of Classification Search**
USPC D21/301, 312, 313, 399-400, 436, 437,
D21/441, 455, 468, 493, 567, 570, 707;
D30/160
CPC A63H 5/00; A63H 33/18; A63H 33/26;
A63B 22/00; A63B 65/00; A63B 67/00;
G09B 5/00; G09B 19/00

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

- 2,115,405 A * 4/1938 Allen A61J 17/02
606/235
- 2,408,735 A * 10/1946 Claffin A61J 17/02
606/235
- 3,403,910 A * 10/1968 Claycomb A63B 65/08
473/590
- D214,906 S * 8/1969 Stenlainemer D13/173
- 3,565,434 A * 2/1971 Liston A63B 65/08
473/590
- 4,309,038 A * 1/1982 Spoon A63B 65/00
273/146
- D312,480 S * 11/1990 Darnell D21/437
- D313,455 S * 1/1991 McKinney D21/707
- 5,655,777 A * 8/1997 Neading A63B 65/08
473/594
- 6,032,615 A * 3/2000 Girard A01K 15/025
119/707
- D441,506 S * 5/2001 Flynn A63B 65/08
D30/160

- D465,815 S * 11/2002 Roehl D21/437
- D478,937 S * 8/2003 Giles D21/300
- D542,506 S * 5/2007 Springer A01K 15/026
D1/106
- D564,852 S * 3/2008 Turpin D4/116
- D572,426 S * 7/2008 McCollum A01K 15/026
D1/106

(Continued)

OTHER PUBLICATIONS

Amazon.com; Hecostix; "Hecostix Hand Eye Coordination & Reaction Speed Training Tool"; [online] 'www.amazon.com/HECOstix-RWB/dp/B07MKPL7Z/ref=cm_cr_ar_p_d_bdcrb_top?ie=UTF8&th=1'; dated Aug. 27, 2020; accessed Sep. 27, 2020; 2pg(s). (Year: 2020).*

Primary Examiner — Keli L Hill

(74) *Attorney, Agent, or Firm* — Albert Bordas, P.A.


(57) **CLAIM**

The ornamental design for a coordination training apparatus, as shown and described.

DESCRIPTION

FIG. 1 is a top left perspective view of the coordination training apparatus showing the new design; FIG. 2 is a front elevational view of the coordination training apparatus thereof; FIG. 3 is a rear elevational view of the coordination training apparatus thereof; FIG. 4 is a left side elevational view of the coordination training apparatus thereof; FIG. 5 is a right side elevational view of the coordination training apparatus thereof; FIG. 6 is a top plan view of the coordination training apparatus thereof; and, FIG. 7 is a bottom plan view of the coordination training apparatus thereof.

1 Claim, 4 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D642,227 S * 7/2011 Walterscheid D21/437
D660,644 S * 5/2012 Beijl D7/388
D698,456 S * 1/2014 Zedaker A63B 65/08
D24/215
D708,817 S * 7/2014 Axelrod A63B 65/00
D1/106
D713,713 S * 9/2014 Symons A63B 65/08
D8/396
D854,259 S * 7/2019 Baiocchi A61J 17/02
D30/160
D870,400 S * 12/2019 Toolan A61J 17/02
D30/160
2019/0083895 A1* 3/2019 Broeker G09B 5/00

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7