



US00D906477S

(12) **United States Design Patent**  
**Austin-Dunkijacobs et al.**

(10) **Patent No.:** **US D906,477 S**  
(45) **Date of Patent:** **\*\* Dec. 29, 2020**

(54) **WATER CONTROL DEVICE FOR A SHOWER**

D447,540 S \* 9/2001 Starck ..... D23/241  
D448,066 S \* 9/2001 Zetsche ..... D23/241  
D493,211 S \* 7/2004 Fraser ..... D23/241

(Continued)

(71) Applicants: **Kerry L. Austin-Dunkijacobs**, Mason, OH (US); **Robert Dunki-Jacobs**, Mason, OH (US); **Scott Nelson Griffith**, Redlands, CA (US); **John E. Busse**, Lakeside Park, TX (US); **Troy Lee Cooksey**, Cincinnati, OH (US)

OTHER PUBLICATIONS

WINOMOThermostatic Shower Connector System , Amazon, retrieved on [Aug. 24, 2020] <https://www.amazon.com/WINOMO-Thermostatic-Shower-Connector-System/> (Year: 2018).\*

(Continued)

(72) Inventors: **Kerry L. Austin-Dunkijacobs**, Mason, OH (US); **Robert Dunki-Jacobs**, Mason, OH (US); **Scott Nelson Griffith**, Redlands, CA (US); **John E. Busse**, Lakeside Park, TX (US); **Troy Lee Cooksey**, Cincinnati, OH (US)

*Primary Examiner* — Cathron C Brooks

*Assistant Examiner* — Keith J Wilson

(74) *Attorney, Agent, or Firm* — Porter Wright Morris & Arthur LLP

(\*\*) Term: **15 Years**

(57) **CLAIM**

(21) Appl. No.: **29/702,236**

The ornamental design for a water control device for a shower, as shown and described.

(22) Filed: **Aug. 17, 2019**

**DESCRIPTION**

(51) **LOC (12) Cl.** ..... **23-01**

(52) **U.S. Cl.**  
USPC ..... **D23/213; D23/257; D23/241**

(58) **Field of Classification Search**  
USPC ..... D23/207, 213, 214, 215, 223, 224, 226, D23/229, 230, 241, 242, 257, 421  
CPC ..... A61H 9/0021; A61H 33/00; B05B 1/00; B05B 1/14; B05B 1/185; B05B 1/08; B05B 1/02; B05B 1/26; B05B 12/002; B05B 1/18; B05B 9/01  
See application file for complete search history.

FIG. 1 is a perspective view of a water control device for a shower according to our new design;  
FIG. 2 is a front view of the water control device for a shower of FIG. 1;  
FIG. 3 is a rear view of the water control device for a shower of FIG. 1;  
FIG. 4 is a left side view of the water control device for a shower of FIG. 1;  
FIG. 5 is a right side view of the water control device for a shower of FIG. 1;  
FIG. 6 is a lower end view of the water control device for a shower of FIG. 1; and,  
FIG. 7 is an upper end view of the water control device for a shower of FIG. 1.


The broken lines shown in FIGS. 1-7 illustrate portions of the water control device for a shower that form no part of the claimed design.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D353,187 S \* 12/1994 Formgren ..... D23/241  
D359,796 S \* 6/1995 Formgren ..... D23/241  
D403,051 S \* 12/1998 Lobermeier ..... D23/241  
D411,284 S \* 6/1999 Gottwald ..... D23/241  
D445,878 S \* 7/2001 Zetsche ..... D23/241

**1 Claim, 7 Drawing Sheets**



(56)

**References Cited**

U.S. PATENT DOCUMENTS

D739,498 S \* 9/2015 Flowers ..... D23/241  
2019/0368170 A1 \* 12/2019 Austin-Dunkijacobs .....  
F16K 11/0743

OTHER PUBLICATIONS

Hibbent Bidet, Amazon, retrieved on [Aug. 25, 2020] <https://www.amazon.com/dp/B0821Z6TPZ/> (Year: 2019).\*

Fannybuy Thermostatic Shower Mixing Valve, Amazon, retrieved on [Aug. 24, 2020] <https://www.amazon.com/Thermostatic-Constant-Temperature-Control-Bathroom/dp/> (Year: 2017).\*

\* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6






FIG. 7