



US00D906486S

(12) **United States Design Patent** (10) **Patent No.:** **US D906,486 S**
Norton et al. (45) **Date of Patent:** **** Dec. 29, 2020**

(54) BRIDGE PIECE	3,855,752 A * 12/1974 Aylon E04B 2/52 52/605
(71) Applicant: Cleveland Reclaim Industries , Lorain, OH (US)	4,370,075 A * 1/1983 Scales E01C 9/004 405/20
(72) Inventors: Tom Norton , Bay Village, OH (US); Stephen P. Casteel , Canal Fulton, OH (US); Michael W. Jackson , Wooster, OH (US)	D298,464 S * 11/1988 Roote D25/117 D313,102 S * 12/1990 Cano D34/32 D370,717 S 6/1996 Ziaylek, Jr. D415,471 S 10/1999 Henry D418,818 S * 1/2000 Henry D13/155 6,067,681 A 5/2000 Zeinstra D437,832 S * 2/2001 Henry D13/155 6,202,565 B1 * 3/2001 Henry A62C 33/06 104/275
(73) Assignee: Cleveland Reclaim Industries , Lorain, OH (US)	6,287,047 B1 9/2001 Dufresne D552,217 S 10/2007 Norton 7,309,836 B2 * 12/2007 Lubanski H02G 3/0418 104/275
(**) Term: 15 Years	

(21) Appl. No.: **29/715,937**

(22) Filed: **Dec. 5, 2019**

Related U.S. Application Data

(60) Division of application No. 29/679,834, filed on Feb. 11, 2019, which is a continuation of application No. 29/544,094, filed on Oct. 30, 2015, now Pat. No. Des. 844,757.

(51) **LOC (12) Cl.** **23-01**

(52) **U.S. Cl.**
USPC **D23/259**; D25/113

(58) **Field of Classification Search**
USPC D23/259, 266; D34/32; D8/354, 396;
D25/113-118, 123, 125; D13/155
CPC A62C 33/06
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

679,570 A *	7/1901	McClurg	A62C 33/06 104/275
1,137,313 A *	4/1915	Hamilton	A62C 33/06 104/275
D205,277 S *	7/1966	Gilchrist	D23/269

(Continued)

Primary Examiner — Amy C Wierenga
(74) *Attorney, Agent, or Firm* — Calfee, Halter & Griswold LLP

(57) **CLAIM**


We claim the ornamental design for a bridge piece, as shown and described.

DESCRIPTION

FIG. 1 is a front-right-top perspective view of the bridge piece showing the new design;
FIG. 2 is a front elevational view thereof;
FIG. 3 is a rear elevational view thereof;
FIG. 4 is a right side elevational view thereof;
FIG. 5 is a left side elevational view thereof;
FIG. 6 is a top plan view thereof; and,
FIG. 7 is a bottom plan view thereof.

The dash-dot broken lines represent the bounds of the claimed design, while all other uniformly broken lines are directed to environment and are for illustrative purposes only. Both the dash-dot and uniformly broken lines form no part of the claimed design.

1 Claim, 4 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D567,913 S 4/2008 Norton
7,394,025 B1 * 7/2008 Wong H02G 3/305
104/275
D583,771 S * 12/2008 Lubanski D13/155
D673,658 S * 1/2013 Dufresne D23/266
D688,809 S * 8/2013 McAllister D25/113
D705,514 S 5/2014 Tai
D706,513 S 6/2014 LaBarbera
D719,519 S * 12/2014 Mathena D13/155
D725,748 S 3/2015 Lake
9,059,574 B2 * 6/2015 Coffman H02G 9/04
D772,431 S 11/2016 Norton
9,512,582 B2 12/2016 Hill
9,834,927 B2 * 12/2017 Huff H02G 3/285
D815,306 S 4/2018 Norton
D844,757 S 4/2019 Norton
2010/0282352 A1 11/2010 Maue
2010/0303555 A1 * 12/2010 Herse E04C 1/395
405/286

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7