



US00D906647S

(12) **United States Design Patent**
Earle

(10) **Patent No.:** **US D906,647 S**

(45) **Date of Patent:** **** Jan. 5, 2021**

- (54) **BOOT**
- (71) Applicant: **Romeo & Juliette, Inc.**, Citrus Heights, CA (US)
- (72) Inventor: **John Earle**, Lake Oswego, OR (US)
- (73) Assignee: **ROMEO & JULIETTE, INC.**, Citrus Heights, CA (US)
- (**) Term: **15 Years**
- (21) Appl. No.: **29/702,386**
- (22) Filed: **Aug. 19, 2019**
- (51) **LOC (13) Cl.** **02-04**
- (52) **U.S. Cl.**
USPC **D2/913; D2/910**
- (58) **Field of Classification Search**
USPC D2/896-900, 909-913, 943, 946, 969, D2/970, 974
CPC .. A43B 7/12; A43B 5/004; A43B 3/02; A43B 23/02
See application file for complete search history.

- D453,062 S * 1/2002 Hall D2/909
- D661,875 S * 6/2012 Kelley D2/910
- 8,438,756 B2 * 5/2013 Kelley A43B 3/12
36/11.5
- D704,426 S * 5/2014 Dillenbeck D2/970

* cited by examiner

Primary Examiner — Rashida C. Walshon
(74) *Attorney, Agent, or Firm* — Elliot H. Karlin;
Hickman Palermo Becker Bingham LLP

(57) **CLAIM**

An ornamental design for a boot, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of an ornamental design for a boot according to the invention;
 FIG. 2 is a side view of an ornamental design for a boot according to the invention;
 FIG. 3 is a reverse side view of an ornamental design for a boot according to the invention;
 FIG. 4 is a rear view of an ornamental design for a boot according to the invention.
 FIG. 5 is a front view of an ornamental design for a boot according to the invention.
 FIG. 6 is a top view of an ornamental design for a padded boot according to the invention; and,
 FIG. 7 is a bottom view of an ornamental design for a boot according to the invention.
 Broken lines indicate aspects of the environment of the design and form no part of the claimed design. The slashed lines in FIGS. 1-6 correspond to stitching of the boot.

1 Claim, 6 Drawing Sheets

(56) **References Cited**

U.S. PATENT DOCUMENTS

- D139,147 S * 10/1944 Britton D2/910
- D227,197 S * 6/1973 Fukuoka D2/910
- 4,314,412 A * 2/1982 Anderson A43B 3/12
36/100
- D329,322 S * 9/1992 Wartell D2/898
- D339,671 S * 9/1993 Manning D2/896
- D410,322 S * 6/1999 Davidowitz D2/910
- D450,179 S * 11/2001 Huard D2/900




FIG. 1




FIG. 2




FIG. 3




FIG. 5




FIG. 4




FIG. 6




FIG. 7

