



US00D906719S

(12) **United States Design Patent**  
**Sullins**

(10) **Patent No.:** **US D906,719 S**  
(45) **Date of Patent:** **\*\* Jan. 5, 2021**

- (54) **LAP DESK WITH DEVICE SLOT**
- (71) Applicant: **Patrick Hogan Sullins**, Arlington, TX (US)
- (72) Inventor: **Patrick Hogan Sullins**, Arlington, TX (US)
- (73) Assignee: **Creative Manufacturing, LLC**, Arlington, TX (US)
- (\*\*) Term: **15 Years**
- (21) Appl. No.: **29/704,103**
- (22) Filed: **Sep. 1, 2019**
- (51) **LOC (13) Cl.** ..... **06-06**
- (52) **U.S. Cl.**  
USPC ..... **D6/406.5**
- (58) **Field of Classification Search**  
USPC ..... D6/406.1, 406.3, 406.5, 406.6, 512, D6/685-686, 691, 704, 705; D7/550.1, D7/552.2, 554.3, 555  
CPC .... A47G 23/06; A47G 23/08; A47G 29/0608; A47B 19/08; A47B 23/00; A47B 23/001  
See application file for complete search history.

6,036,158 A *	3/2000	Raasch	.....	B60N 3/005
				108/44
D499,575 S *	12/2004	Chan	.....	D6/406.3
D512,245 S *	12/2005	Bean	.....	D6/406.3
D583,164 S *	12/2008	Jennings	.....	D6/406.6
D595,980 S *	7/2009	Walters	.....	D6/601
D609,027 S *	2/2010	Jennings	.....	D6/406.5
D619,823 S *	7/2010	Jennings	.....	D6/406.3
D663,546 S *	7/2012	Jennings	.....	D6/406.3
D701,089 S *	3/2014	Lee	.....	D7/554.3
D728,581 S *	5/2015	Feinberg	.....	D14/447
D794,974 S *	8/2017	Jennings	.....	D6/406.3
D836,937 S *	1/2019	Sullins	.....	D6/406.3
D843,752 S *	3/2019	Sullins	.....	D6/406.5
D853,147 S *	7/2019	Chen	.....	D6/406.5

(Continued)

Primary Examiner — Kelley A Donnelly  
(74) Attorney, Agent, or Firm — Guy V. Manning, Esq.

(57) **CLAIM**

The ornamental design for a lap desk with device slot, as shown and described.

**DESCRIPTION**


FIG. 1 is a left, elevated, front quartering perspective view of a new design for a lap desk with device slot; FIG. 2 is a bottom plan view of the new design of FIG. 1; FIG. 3 is a top plan view of the new design of FIG. 1; FIG. 4 is a front elevational view of the new design of FIG. 1; FIG. 5 is a rear elevational view of the new design of FIG. 1; FIG. 6 is a right side elevational view of the new design of FIG. 1; FIG. 7 is a left side elevational view of the new design of FIG. 1; and, FIG. 8 is a front, elevational section, as indicated in FIG. 3, showing the interior shape of the device slot in the top surface of the new design of FIG. 1.

**1 Claim, 4 Drawing Sheets**

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D24,803 S *	10/1895	Linn et al.	.....	D6/707.19
1,742,447 A *	1/1930	McKeag	.....	B60N 2/783
				296/153
2,640,747 A *	6/1953	Bodenhoff	.....	A47B 23/00
				248/444
5,081,936 A *	1/1992	Drieling	.....	B60N 3/002
				108/25
5,341,531 A *	8/1994	Straub	.....	A47D 13/08
				5/655
D356,009 S *	3/1995	Branch	.....	D6/406.5
5,425,455 A *	6/1995	Miller	.....	A47G 23/0608
				206/562



(56)

**References Cited**

U.S. PATENT DOCUMENTS

D887,166 S \* 6/2020 Ren ..... D6/406.5  
2007/0113757 A1\* 5/2007 Lilly ..... A47G 23/0608  
108/25

\* cited by examiner




Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5






Fig. 6




Fig. 7




Fig. 8