



US00D906812S

(12)

United States Design Patent

Sterling et al.

(10)

Patent No.:

US D906,812 S

(45)

Date of Patent:

** Jan. 5, 2021

(54) CLOSURE WITH GRIP FEATURES

(71) Applicant: Henkel IP & Holding GmbH,
Duesseldorf (DE)

(72) Inventors: Daniel Peter Sterling, Trumbull, CT
(US); Elizabeth Meriwether Boyd,
Auburn, AL (US); Glenn William
Kaye, Trumbull, CT (US); Anne
Elizabeth Lindert Nixon, La Grange,
KY (US)

(73) Assignee: Henkel IP & Holding GmbH,
Duesseldorf (DE)

(**) Term: 15 Years

(21) Appl. No.: 29/718,269

(22) Filed: Dec. 23, 2019

Related U.S. Application Data

(62) Division of application No. 29/621,456, filed on Oct.
9, 2017, now Pat. No. Des. 875,527.

(51) LOC (13) Cl. 09-07

(52) U.S. Cl.
USPC D9/453; D9/443

(58) Field of Classification Search

USPC D7/392.1, 396.2, 900; D9/434–436, 440,
D9/443–447, 452–454, 499

CPC B65D 41/00; B65D 41/38; B65D 41/56;
B65D 41/62; B65D 47/00; B65D 47/06;
B65D 47/08; B65D 2543/00046; B65D
2543/00092; B65D 2543/00296; B65D
51/28; B65D 21/0237; B65D 81/3205

See application file for complete search history.

(56) References Cited

U.S. PATENT DOCUMENTS

D267,076 S 11/1982 Hurtig
5,544,768 A 8/1996 Gargione

D382,488 S 8/1997 Ja
D403,582 S 1/1999 Nask et al.
D406,237 S 3/1999 Bettiga
D407,978 S 4/1999 Petro
D419,369 S 1/2000 Naft et al.
D423,366 S 4/2000 Gans
D426,161 S 6/2000 Hestehave et al.
D426,469 S 6/2000 Mankowski et al.
D435,455 S 12/2000 Gans
D437,228 S 2/2001 Collins
D481,801 S 11/2003 Whitley
D492,596 S 7/2004 Miceli et al.
D515,865 S 2/2006 Kim
D518,719 S 4/2006 von Spreckelsen et al.
D523,755 S 6/2006 Considine et al.
D528,417 S 9/2006 Matsuda et al.

(Continued)

OTHER PUBLICATIONS

Housessive.The 6 Best Microwave Cover of 2020. 2020. <https://housessive.com/best-microwaves-cover/> (Year: 2020).*

Primary Examiner — Darcey E Gottschalk

(74) Attorney, Agent, or Firm — Bojuan Deng

(57) CLAIM


The ornamental design for a closure with grip features, as
shown and described.

DESCRIPTION

FIG. 1 is a top perspective view of our new design for a
closure with grip features;
FIG. 2 is a top view thereof;
FIG. 3 is a bottom view thereof;
FIG. 4 is a front view thereof;
FIG. 5 is a right side view thereof;
FIG. 6 is a left side view thereof; and,
FIG. 7 is a rear view thereof.

In the drawings, the broken lines depict environment that
forms no part of the claim.

1 Claim, 7 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D531,913 S 11/2006 Heisner et al.
D537,492 S 2/2007 Paolucci et al.
D541,148 S 4/2007 Gross et al.
D542,128 S 5/2007 Gross et al.
D547,657 S 7/2007 Tacchella
D548,103 S 8/2007 Waldner
D553,819 S 10/2007 Brothers
D558,583 S 1/2008 Langbein et al.
D564,878 S 3/2008 Baughman et al.
D567,087 S 4/2008 Baughman et al.
D587,580 S 3/2009 Kane et al.
D588,870 S 3/2009 Rasmussen
D596,455 S 7/2009 Laib
D600,120 S 9/2009 Kawamura
D604,613 S 11/2009 Garboni
D608,641 S 1/2010 Baughman et al.
D610,007 S 2/2010 Baughman et al.
D612,257 S 3/2010 Wurster et al.
D617,191 S 6/2010 Stull et al.
D630,518 S 1/2011 Biesecker et al.
D632,958 S 2/2011 Fuchs
D637,081 S 5/2011 Collins
D641,628 S 7/2011 Baughman

D643,295 S 8/2011 Sadler et al.
D646,754 S 10/2011 Reimann et al.
D655,181 S 3/2012 Kraft et al.
D658,431 S * 5/2012 Gilbert D7/392.1
D668,542 S 10/2012 Thurin et al.
D671,834 S 12/2012 Chasteen et al.
D673,047 S 12/2012 Stamper et al.
D676,329 S 2/2013 Yourist
D717,661 S 11/2014 McIntire et al.
D722,804 S 2/2015 Kay et al.
D722,884 S 2/2015 Eble
D723,370 S 3/2015 Medlin
D733,491 S * 7/2015 Gluck D7/392.1
D760,088 S 6/2016 Kaye et al.
D795,006 S * 8/2017 Heiberger D7/392.1
D803,685 S * 11/2017 Kaye D9/453
D836,388 S * 12/2018 Abante D7/392.1
D839,666 S * 2/2019 Bradshaw D7/396.2
D840,223 S * 2/2019 Marina D9/437
D850,191 S * 6/2019 Jacobsen D7/396.2
D863,874 S * 10/2019 Melanson D7/392
D871,832 S * 1/2020 Marina D7/392.1
D873,139 S * 1/2020 Chapin D9/453
D885,903 S * 6/2020 Rane D9/453
D885,904 S * 6/2020 Kim D9/453

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7