



US00D906837S

(12) **United States Design Patent** (10) **Patent No.:** **US D906,837 S**
Gross-Johnston et al. (45) **Date of Patent:** ** **Jan. 5, 2021**

(54) **SPOUTED SACHET**

33/04; B65D 33/24; A61J 1/10; A61J 1/47; A61J 9/001; A45C 3/04; A45C 3/06; A45C 3/10

(71) Applicant: **H.J. Heinz Company Brands LLC**,
Pittsburgh, PA (US)

See application file for complete search history.

(72) Inventors: **Callie Gross-Johnston**, Lake Villa, IL
(US); **Lauren Chard**, Evanston, IL
(US); **William Burns**, Minneapolis,
MN (US)

(56)

References Cited

U.S. PATENT DOCUMENTS

D318,795 S * 8/1991 Christine D9/696
D342,442 S * 12/1993 Smith D9/416
D448,661 S * 10/2001 Kerr D9/696
D658,506 S * 5/2012 Berman D9/707
D744,352 S * 12/2015 Quarles D9/707

* cited by examiner

(73) Assignee: **H.J. Heinz Company Brands LLC**,
Pittsburgh, PA (US)

Primary Examiner — Abraham Bahta

(21) Appl. No.: **29/725,127**

(74) Attorney, Agent, or Firm — Fitch, Even, Tabin & Flannery LLP

(22) Filed: **Feb. 21, 2020**

(57)

CLAIM

The ornamental design for a spouted sachet, as shown and described.

DESCRIPTION

Related U.S. Application Data

(62) Division of application No. 29/631,460, filed on Dec. 29, 2017, now Pat. No. Des. 877,623.

(51) **LOC (13) Cl.** **09-05**(52) **U.S. Cl.**USPC **D9/707**(58) **Field of Classification Search**USPC D9/702–714, 443, 447, 499, 516–517,
D9/523–524, 526–528, 530, 719, 572;
222/92, 210, 212, 215; D23/211.1, 212;
220/200, 260, 288, 768, 901; 206/815;
215/200, 217–218, 382–385, 396, 371;
D7/312, 321; 383/61.1, 80–81, 104, 901,
383/8, 109, 111, 122, 127, 207, 94, 107;
428/35.2; 229/87.01–87.09, 87.11–87.19CPC . B65D 1/00; B65D 1/02; B65D 1/023; B65D
1/32; B65D 11/00; B65D 11/04; B65D
35/08; B65D 35/00; B65D 31/00; B65D
31/10; B65D 31/005; B65D 31/02; B65D
31/04; B65D 29/00; B65D 29/04; B65D
65/38; B65D 65/00; B65D 33/02; B65D

FIG. 1 is a perspective view of a first embodiment of our new design of a spouted sachet;
FIG. 2 is a front elevation view thereof;
FIG. 3 is a side elevation view thereof;
FIG. 4 is a top plan view thereof;
FIG. 5 is a bottom plan view thereof;
FIG. 6 is a rear elevation view thereof;
FIG. 7 is a perspective view of a second embodiment of our new design of a spouted sachet;
FIG. 8 is a front elevation view thereof;
FIG. 9 is a side elevation view thereof;
FIG. 10 is a top plan view thereof;
FIG. 11 is a bottom plan view thereof; and,
FIG. 12 is a rear elevation view thereof.


1 Claim, 8 Drawing Sheets

FIG. 1






FIG. 2**FIG. 3**

FIG. 4




FIG. 5



FIG. 6





FIG. 7



FIG. 8**FIG. 9**

FIG. 10



FIG. 11



FIG. 12

