



US00D906854S

(12) **United States Design Patent**
Matei et al.

(10) **Patent No.:** **US D906,854 S**

(45) **Date of Patent:** **** Jan. 5, 2021**

(54) **BEACON LIGHT**

CPC F21L 4/00-085
See application file for complete search history.

(71) Applicant: **Hella GmbH & Co. KGaA**, Lippstadt
(DE)

(56) **References Cited**

(72) Inventors: **Florin Ovidiu Matei**, Timis (RO);
Ovidiu-Petru Balaj, Timis (RO);
George Cristian Oproiu, Craiova
(RO); **Remus Pompiliu Dinu**, Timis
(RO); **Adrian Emanuel Maghet**, Timis
(RO); **Adrian Ciprian Firu**, Timis
(RO); **Gabriel Sirbu**, Timis (RO);
Ovidiu Cristian Pardut, Timis (RO);
Marius Nicolae Dragomir, Timis
(RO); **Dragos-Andrei Blagoi**, Brasov
(RO); **Thomas Rettweiler**, Lippstadt
(DE); **Carsten Hohmann**, Lippstadt
(DE)

U.S. PATENT DOCUMENTS

| | | | | | |
|------------|---|---------|------------|-------|-----------|
| D510,885 S | * | 10/2005 | Dueker | | D10/114.2 |
| D684,078 S | * | 6/2013 | Clifford | | D10/114.2 |
| D815,149 S | * | 4/2018 | Langhammer | | D14/496 |
| D826,205 S | * | 8/2018 | Langhammer | | D14/203.6 |
| D838,257 S | * | 1/2019 | Manz | | D14/216 |
| D868,017 S | * | 11/2019 | Aaron | | D14/140.6 |
| D868,031 S | * | 11/2019 | Ryu | | D14/216 |
| D875,079 S | * | 2/2020 | Luo | | D14/216 |
| D886,079 S | * | 6/2020 | Feng | | D14/216 |
| D886,773 S | * | 6/2020 | Zheng | | D14/204 |
| D889,434 S | * | 7/2020 | Xie | | D14/216 |

* cited by examiner

(73) Assignee: **Hella GmbH & Co. KGaA**, Lippstadt
(DE)

Primary Examiner — George D. Kirschbaum

Assistant Examiner — Joseph J Kukella

(**) Term: **15 Years**

(74) *Attorney, Agent, or Firm* — Husch Blackwell LLP

(21) Appl. No.: **29/695,167**

(57) **CLAIM**

(22) Filed: **Jun. 17, 2019**

We claim the ornamental design for a beacon light, as shown and described.

(30) **Foreign Application Priority Data**

DESCRIPTION

Jan. 21, 2019 (DE) 40 2019 100 080

(51) **LOC (13) Cl.** **10-05**

(52) **U.S. Cl.**
USPC **D10/114.2**


(58) **Field of Classification Search**
USPC D10/106.1-106.95, 109.1-115; D14/204,
D14/209, 210, 215, 216; D26/37, 60, 72

FIG. 1 is a perspective view of a beacon light according to our new design;

FIG. 2 is a top plan view thereof; and,

FIG. 3 is a front elevation view thereof, with the rear elevation, left side elevation, and right side elevations being identical thereto.

1 Claim, 3 Drawing Sheets






FIG. 1



FIG. 2




FIG. 3