

US00D906950S

(12) **United States Design Patent** (10) **Patent No.:** **US D906,950 S**
Nakamura (45) **Date of Patent:** **** Jan. 5, 2021**

(54) **TIRE SIDEWALL**
(71) Applicant: **BRIDGESTONE CORPORATION**,
Tokyo (JP)
(72) Inventor: **Takamitsu Nakamura**, Tokyo (JP)
(73) Assignee: **BRIDGESTONE CORPORATION**,
Tokyo (JP)

D647,474 S * 10/2011 Takahashi D12/605
D668,603 S * 10/2012 Iwabuchi D12/605
D735,125 S * 7/2015 Rittweger
D738,300 S * 9/2015 Frappart D12/605
D749,498 S * 2/2016 Ropars D12/605
D750,555 S * 3/2016 Iwabuchi D12/605
D778,815 S * 2/2017 Emorine D12/605
D779,424 S * 2/2017 Emorine D12/605
D789,879 S * 6/2017 Itoi D12/605

(Continued)

(**) Term: **15 Years**

FOREIGN PATENT DOCUMENTS

(21) Appl. No.: **29/704,337**

CN 304203447 S 7/2017
JP 1349428 S 1/2009

(22) Filed: **Sep. 4, 2019**

(Continued)

(30) **Foreign Application Priority Data**

Primary Examiner — Michelle E. Wilson

Assistant Examiner — Clese Moore, Jr.

Jun. 11, 2019 (JP) 2019-012837

(74) *Attorney, Agent, or Firm* — Kenja IP Law PC

(51) **LOC (13) Cl.** **12-15**

(57) **CLAIM**

(52) **U.S. Cl.**
USPC **D12/605**

The ornamental design for a tire sidewall, as shown and described.

(58) **Field of Classification Search**
USPC D12/604, 605
CPC B60C 13/00; B60C 1/00
See application file for complete search history.

DESCRIPTION


(56) **References Cited**

FIG. 1 is a perspective view of a tire sidewall showing my new design;
FIG. 2 is a front view thereof;
FIG. 3 is a top view thereof;
FIG. 4 is a right side view thereof;
FIG. 5 is a rear view thereof;
FIG. 6 is a fragmentary enlarged view showing the details of the sidewall portion in the area defined by lines 6-6 in FIG. 2; and,
FIG. 7 is a fragmentary enlarged view taken along lines 7-7 between 7-7 in FIG. 6.
The broken lines are used to show portions of the tire sidewall that are not being claimed, and thus form no part of the claimed design.

U.S. PATENT DOCUMENTS

D264,575 S * 5/1982 Aston D12/605
D556,127 S * 11/2007 Iwabuchi D12/605
D565,503 S * 4/2008 Tanaka D12/605
D565,504 S * 4/2008 Tanaka D12/605
D568,236 S * 5/2008 Holden et al.
D569,791 S * 5/2008 Iwabuchi D12/605
D576,544 S * 9/2008 Onoe D12/605
D598,371 S * 8/2009 Misumi D12/605
D599,285 S * 9/2009 Misumi D12/605
D605,583 S 12/2009 Scheifele
D606,014 S * 12/2009 Kujime D12/605
D606,015 S * 12/2009 Kujime D12/605
D608,275 S 1/2010 Maxwell

1 Claim, 7 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D792,842 S * 7/2017 Itoi D12/605
D834,513 S * 11/2018 Sakamoto D12/605
D843,928 S * 3/2019 Whitaker D12/605
D848,356 S 5/2019 Maxwell

FOREIGN PATENT DOCUMENTS

KR 300781872 S 1/2015
KR 300969725 S 8/2018
WO DM/080539 10/2013

* cited by examiner

FIG. 1




FIG. 2




FIG. 3



FIG. 4




FIG. 5




FIG. 6




FIG. 7

