



US00D906952S

(12) **United States Design Patent** (10) **Patent No.:** **US D906,952 S**
Nakamura (45) **Date of Patent:** **** Jan. 5, 2021**

(54) **TIRE SIDEWALL**
(71) Applicant: **BRIDGESTONE CORPORATION,**
Tokyo (JP)
(72) Inventor: **Takamitsu Nakamura,** Tokyo (JP)
(73) Assignee: **BRIDGESTONE CORPORATION,**
Tokyo (JP)

D782,406 S * 3/2017 Takahashi D12/605
D791,067 S * 7/2017 Iwabuchi D12/605
D791,693 S * 7/2017 Iwabuchi D12/605
D792,337 S * 7/2017 Ishikawa D12/605
D795,798 S * 8/2017 Kamada D12/605
D800,643 S * 10/2017 Scheifele D12/605
D803,149 S 11/2017 Ishikawa
D804,402 S 12/2017 Kamada
D807,284 S * 1/2018 Iwabuchi D12/605

(Continued)

(**) Term: **15 Years**

FOREIGN PATENT DOCUMENTS

(21) Appl. No.: **29/704,723**

JP 1541339 S 1/2016
JP 1553517 S 6/2018

(22) Filed: **Sep. 6, 2019**

(Continued)

(30) **Foreign Application Priority Data**

Primary Examiner — Michelle E. Wilson

Assistant Examiner — Clese Moore, Jr.

Jun. 11, 2019 (JP) 2019-012835

(74) *Attorney, Agent, or Firm* — Kenja IP Law PC

(51) **LOC (13) Cl.** **12-15**

(57) **CLAIM**

(52) **U.S. Cl.**
USPC **D12/605**

The ornamental design for a tire sidewall, as shown and described.

(58) **Field of Classification Search**
USPC D12/604, 605
CPC B60C 13/00; B60C 1/00
See application file for complete search history.

DESCRIPTION


(56) **References Cited**

FIG. 1 is a perspective view of a tire sidewall showing my new design;
FIG. 2 is a front view thereof;
FIG. 3 is a top view thereof;
FIG. 4 is a right side view thereof;
FIG. 5 is a rear view thereof;
FIG. 6 is a fragmentary enlarged view showing the details of the sidewall portion in the area defined by lines 6-6 in FIG. 2; and,
FIG. 7 is a fragmentary enlarged view taken along lines 7-7 between 7-7 in FIG. 6.
The broken lines are used to show portions of the tire sidewall that are not being claimed, and thus form no part of the claimed design.

U.S. PATENT DOCUMENTS

D543,499 S * 5/2007 Shondel D12/605
D550,150 S * 9/2007 Shondel D12/605
D590,332 S * 4/2009 Sato D12/605
D593,486 S * 6/2009 Yonetsu D12/605
D600,199 S * 9/2009 Ibaraki D12/605
D618,163 S * 6/2010 Sato D12/605
D618,164 S * 6/2010 Sato D12/605
D618,165 S * 6/2010 Sato D12/605
D676,805 S * 2/2013 Iwabuchi D12/605
D709,025 S * 7/2014 Takahashi D12/605
D750,555 S * 3/2016 Iwabuchi D12/605
D768,565 S * 10/2016 Yasunaga D12/605
D773,987 S * 12/2016 Ishikawa D12/605

1 Claim, 7 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D813,799 S * 3/2018 Maxwell D12/605
D843,928 S * 3/2019 Whitaker D12/605
D843,929 S * 3/2019 Maxwell D12/605
D843,930 S * 3/2019 Itoi D12/605
D851,030 S * 6/2019 Nagase D12/605
D867,982 S * 11/2019 Iwabuchi D12/605

FOREIGN PATENT DOCUMENTS

JP 1621500 S 1/2019
WO DM/088412 10/2017
WO DM/090217 4/2018

* cited by examiner

FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7

